



COOLING TECHNOLOGY INSTITUTE

P. O. Box 681807, Houston, Texas 77268 • 3845 Cypress Creek Parkway, Ste 420, Houston, Texas 77068
Phone: 281.583.4087 • Fax: 281.537.1721 • email: vmanser@cti.org • http://www.cti.org

Reymosa Cooling Towers, Inc.
(Div. Fabrica Mexicana De Torres, S. A.)
RT Series of CTI Certified Cooling Towers
CTI Certification Validation Number C22G-13R04
July 17, 2017 (Revision 4)

RT Models (Note 1) Below are Single Units with 1, 2 or 4 Fans/Unit and 4 Air Inlet Faces/Unit

RT-30311.5-A	RT-30311.5-B			RT-30311.5-C	RT-30311.5-D		
RT-303102-A	RT-303102-B			RT-303102-C	RT-303102-D		
RT-404103-A	RT-404103-B			RT-404103-C	RT-404103-D		
RT-404105-A	RT-404105-B			RT-404105-C	RT-404105-D		
RT-505103-A	RT-505103-B			RT-505103-C	RT-505103-D		
RT-505105-A	RT-505105-B			RT-505105-C	RT-505105-D		
RT-606105-A	RT-606105-B			RT-606105-C	RT-606105-D		
RT-60617.5-A	RT-60617.5-B			RT-60617.5-C	RT-60617.5-D		
RT-707105-A	RT-707105-B	RT-707105-B-LS	RT-707105-B-SLS	RT-707105-C	RT-707105-D	RT-707105-D-LS	RT-707105-D-SLS
RT-70717.5-A	RT-70717.5-B	RT-70717.5-B-LS	RT-70717.5-B-SLS	RT-70717.5-C	RT-70717.5-D	RT-70717.5-D-LS	RT-70717.5-D-SLS
RT-707110-A	RT-707110-B	RT-707110-B-LS	RT-707110-B-SLS	RT-707110-C	RT-707110-D	RT-707110-D-LS	RT-707110-D-SLS
RT-708105-A	RT-708105-B	RT-708105-B-LS	RT-708105-B-SLS	RT-708105-C	RT-708105-D	RT-708105-D-LS	RT-708105-D-SLS
RT-70817.5-A	RT-70817.5-B	RT-70817.5-B-LS	RT-70817.5-B-SLS	RT-70817.5-C	RT-70817.5-D	RT-70817.5-D-LS	RT-70817.5-D-SLS
RT-708110-A	RT-708110-B	RT-708110-B-LS	RT-708110-B-SLS	RT-708110-C	RT-708110-D	RT-708110-D-LS	RT-708110-D-SLS
RT-708115-A	RT-708115-B	RT-708115-B-LS	RT-708115-B-SLS	RT-708115-C	RT-708115-D	RT-708115-D-LS	RT-708115-D-SLS
RT-709105-A	RT-709105-B	RT-709105-B-LS	RT-709105-B-SLS	RT-709105-C	RT-709105-D	RT-709105-D-LS	RT-709105-D-SLS
RT-70917.5-A	RT-70917.5-B	RT-70917.5-B-LS	RT-70917.5-B-SLS	RT-70917.5-C	RT-70917.5-D	RT-70917.5-D-LS	RT-70917.5-D-SLS
RT-709110-A	RT-709110-B	RT-709110-B-LS	RT-709110-B-SLS	RT-709110-C	RT-709110-D	RT-709110-D-LS	RT-709110-D-SLS
RT-709115-A	RT-709115-B	RT-709115-B-LS	RT-709115-B-SLS	RT-709115-C	RT-709115-D	RT-709115-D-LS	RT-709115-D-SLS
RT-808105-A	RT-808105-B	RT-808105-B-LS	RT-808105-B-SLS	RT-808105-C	RT-808105-D	RT-808105-D-LS	RT-808105-D-SLS
RT-80817.5-A	RT-80817.5-B	RT-80817.5-B-LS	RT-80817.5-B-SLS	RT-80817.5-C	RT-80817.5-D	RT-80817.5-D-LS	RT-80817.5-D-SLS
RT-808110-A	RT-808110-B	RT-808110-B-LS	RT-808110-B-SLS	RT-808110-C	RT-808110-D	RT-808110-D-LS	RT-808110-D-SLS
RT-808115-A	RT-808115-B	RT-808115-B-LS	RT-808115-B-SLS	RT-808115-C	RT-808115-D	RT-808115-D-LS	RT-808115-D-SLS
RT-810105-A	RT-810105-B	RT-810105-B-LS	RT-810105-B-SLS	RT-810105-C	RT-810105-D	RT-810105-D-LS	RT-810105-D-SLS
RT-81017.5-A	RT-81017.5-B	RT-81017.5-B-LS	RT-81017.5-B-SLS	RT-81017.5-C	RT-81017.5-D	RT-81017.5-D-LS	RT-81017.5-D-SLS
RT-810110-A	RT-810110-B	RT-810110-B-LS	RT-810110-B-SLS	RT-810110-C	RT-810110-D	RT-810110-D-LS	RT-810110-D-SLS
RT-810115-A	RT-810115-B	RT-810115-B-LS	RT-810115-B-SLS	RT-810115-C	RT-810115-D	RT-810115-D-LS	RT-810115-D-SLS
RT-810120-A	RT-810120-B	RT-810120-B-LS	RT-810120-B-SLS	RT-810120-C	RT-810120-D	RT-810120-D-LS	RT-810120-D-SLS
RT-812105-A	RT-812105-B	RT-812105-B-LS	RT-812105-B-SLS	RT-812105-C	RT-812105-D	RT-812105-D-LS	RT-812105-D-SLS
RT-81217.5-A	RT-81217.5-B	RT-81217.5-B-LS	RT-81217.5-B-SLS	RT-81217.5-C	RT-81217.5-D	RT-81217.5-D-LS	RT-81217.5-D-SLS
RT-812110-A	RT-812110-B	RT-812110-B-LS	RT-812110-B-SLS	RT-812110-C	RT-812110-D	RT-812110-D-LS	RT-812110-D-SLS
RT-812115-A	RT-812115-B	RT-812115-B-LS	RT-812115-B-SLS	RT-812115-C	RT-812115-D	RT-812115-D-LS	RT-812115-D-SLS
RT-812120-A	RT-812120-B	RT-812120-B-LS	RT-812120-B-SLS	RT-812120-C	RT-812120-D	RT-812120-D-LS	RT-812120-D-SLS
RT-812125-A	RT-812125-B	RT-812125-B-LS	RT-812125-B-SLS	RT-812125-C	RT-812125-D	RT-812125-D-LS	RT-812125-D-SLS

RT Models Continued on Next Page



COOLING TECHNOLOGY INSTITUTE

P. O. Box 681807, Houston, Texas 77268 • 3845 Cypress Creek Parkway, Ste 420, Houston, Texas 77068
Phone: 281.583.4087 • Fax: 281.537.1721 • email: vmanser@cti.org • http://www.cti.org

RT Models (Note 1) Below are Double Units with 1, 2 or 4 Fans/Unit and 4 Air Inlet Faces/Unit

RT-714205-A	RT-714205-B	RT-714205-B-LS	RT-714205-B-SLS	RT-714205-C	RT-714205-D	RT-714205-D-LS	RT-714205-D-SLS
RT-71427.5-A	RT-71427.5-B	RT-71427.5-B-LS	RT-71427.5-B-SLS	RT-71427.5-C	RT-71427.5-D	RT-71427.5-D-LS	RT-71427.5-D-SLS
RT-714210-A	RT-714210-B	RT-714210-B-LS	RT-714210-B-SLS	RT-714210-C	RT-714210-D	RT-714210-D-LS	RT-714210-D-SLS
RT-816205-A	RT-816205-B	RT-816205-B-LS	RT-816205-B-SLS	RT-816205-C	RT-816205-D	RT-816205-D-LS	RT-816205-D-SLS
RT-81627.5-A	RT-81627.5-B	RT-81627.5-B-LS	RT-81627.5-B-SLS	RT-81627.5-C	RT-81627.5-D	RT-81627.5-D-LS	RT-81627.5-D-SLS
RT-816210-A	RT-816210-B	RT-816210-B-LS	RT-816210-B-SLS	RT-816210-C	RT-816210-D	RT-816210-D-LS	RT-816210-D-SLS
RT-816215-A	RT-816215-B	RT-816215-B-LS	RT-816215-B-SLS	RT-816215-C	RT-816215-D	RT-816215-D-LS	RT-816215-D-SLS
RT-819205-A	RT-819205-B	RT-819205-B-LS	RT-819205-B-SLS	RT-819205-C	RT-819205-D	RT-819205-D-LS	RT-819205-D-SLS
RT-81927.5-A	RT-81927.5-B	RT-81927.5-B-LS	RT-81927.5-B-SLS	RT-81927.5-C	RT-81927.5-D	RT-81927.5-D-LS	RT-81927.5-D-SLS
RT-819210-A	RT-819210-B	RT-819210-B-LS	RT-819210-B-SLS	RT-819210-C	RT-819210-D	RT-819210-D-LS	RT-819210-D-SLS
RT-819215-A	RT-819215-B	RT-819215-B-LS	RT-819215-B-SLS	RT-819215-C	RT-819215-D	RT-819215-D-LS	RT-819215-D-SLS
RT-819220-A	RT-819220-B	RT-819220-B-LS	RT-819220-B-SLS	RT-819220-C	RT-819220-D	RT-819220-D-LS	RT-819220-D-SLS
RT-822205-A	RT-822205-B	RT-822205-B-LS	RT-822205-B-SLS	RT-822205-C	RT-822205-D	RT-822205-D-LS	RT-822205-D-SLS
RT-82227.5-A	RT-82227.5-B	RT-82227.5-B-LS	RT-82227.5-B-SLS	RT-82227.5-C	RT-82227.5-D	RT-82227.5-D-LS	RT-82227.5-D-SLS
RT-822210-A	RT-822210-B	RT-822210-B-LS	RT-822210-B-SLS	RT-822210-C	RT-822210-D	RT-822210-D-LS	RT-822210-D-SLS
RT-822215-A	RT-822215-B	RT-822215-B-LS	RT-822215-B-SLS	RT-822215-C	RT-822215-D	RT-822215-D-LS	RT-822215-D-SLS
RT-822220-A	RT-822220-B	RT-822220-B-LS	RT-822220-B-SLS	RT-822220-C	RT-822220-D	RT-822220-D-LS	RT-822220-D-SLS
RT-822225-A	RT-822225-B	RT-822225-B-LS	RT-822225-B-SLS	RT-822225-C	RT-822225-D	RT-822225-D-LS	RT-822225-D-SLS
RT-824205-A	RT-824205-B	RT-824205-B-LS	RT-824205-B-SLS	RT-824205-C	RT-824205-D	RT-824205-D-LS	RT-824205-D-SLS
RT-82427.5-A	RT-82427.5-B	RT-82427.5-B-LS	RT-82427.5-B-SLS	RT-82427.5-C	RT-82427.5-D	RT-82427.5-D-LS	RT-82427.5-D-SLS
RT-824210-A	RT-824210-B	RT-824210-B-LS	RT-824210-B-SLS	RT-824210-C	RT-824210-D	RT-824210-D-LS	RT-824210-D-SLS
RT-824215-A	RT-824215-B	RT-824215-B-LS	RT-824215-B-SLS	RT-824215-C	RT-824215-D	RT-824215-D-LS	RT-824215-D-SLS
RT-824220-A	RT-824220-B	RT-824220-B-LS	RT-824220-B-SLS	RT-824220-C	RT-824220-D	RT-824220-D-LS	RT-824220-D-SLS
RT-824225-A	RT-824225-B	RT-824225-B-LS	RT-824225-B-SLS	RT-824225-C	RT-824225-D	RT-824225-D-LS	RT-824225-D-SLS
RT-827205-A	RT-827205-B	RT-827205-B-LS	RT-827205-B-SLS	RT-827205-C	RT-827205-D	RT-827205-D-LS	RT-827205-D-SLS
RT-82727.5-A	RT-82727.5-B	RT-82727.5-B-LS	RT-82727.5-B-SLS	RT-82727.5-C	RT-82727.5-D	RT-82727.5-D-LS	RT-82727.5-D-SLS
RT-827210-A	RT-827210-B	RT-827210-B-LS	RT-827210-B-SLS	RT-827210-C	RT-827210-D	RT-827210-D-LS	RT-827210-D-SLS
RT-827215-A	RT-827215-B	RT-827215-B-LS	RT-827215-B-SLS	RT-827215-C	RT-827215-D	RT-827215-D-LS	RT-827215-D-SLS
RT-827220-A	RT-827220-B	RT-827220-B-LS	RT-827220-B-SLS	RT-827220-C	RT-827220-D	RT-827220-D-LS	RT-827220-D-SLS
RT-827225-A	RT-827225-B	RT-827225-B-LS	RT-827225-B-SLS	RT-827225-C	RT-827225-D	RT-827225-D-LS	RT-827225-D-SLS

RT Models Continued on Next Page



COOLING TECHNOLOGY INSTITUTE

P. O. Box 681807, Houston, Texas 77268 • 3845 Cypress Creek Parkway, Ste 420, Houston, Texas 77068
Phone: 281.583.4087 • Fax: 281.537.1721 • email: vmanser@cti.org • http://www.cti.org

RT Models (Note 1) Below are Quad Units with 1, 2 or 4 Fans/Unit and 4 Air Inlet Faces/Unit

RT-1414405-A	RT-1414405-B	RT-1414405-B-LS	RT-1414405-B-SLS	RT-1414405-C	RT-1414405-D	RT-1414405-D-LS	RT-1414405-D-SLS
RT-141447.5-A	RT-141447.5-B	RT-141447.5-B-LS	RT-141447.5-B-SLS	RT-141447.5-C	RT-141447.5-D	RT-141447.5-D-LS	RT-141447.5-D-SLS
RT-1414410-A	RT-1414410-B	RT-1414410-B-LS	RT-1414410-B-SLS	RT-1414410-C	RT-1414410-D	RT-1414410-D-LS	RT-1414410-D-SLS
RT-1616405-A	RT-1616405-B	RT-1616405-B-LS	RT-1616405-B-SLS	RT-1616405-C	RT-1616405-D	RT-1616405-D-LS	RT-1616405-D-SLS
RT-161647.5-A	RT-161647.5-B	RT-161647.5-B-LS	RT-161647.5-B-SLS	RT-161647.5-C	RT-161647.5-D	RT-161647.5-D-LS	RT-161647.5-D-SLS
RT-1616410-A	RT-1616410-B	RT-1616410-B-LS	RT-1616410-B-SLS	RT-1616410-C	RT-1616410-D	RT-1616410-D-LS	RT-1616410-D-SLS
RT-1616415-A	RT-1616415-B	RT-1616415-B-LS	RT-1616415-B-SLS	RT-1616415-C	RT-1616415-D	RT-1616415-D-LS	RT-1616415-D-SLS
RT-1619405-A	RT-1619405-B	RT-1619405-B-LS	RT-1619405-B-SLS	RT-1619405-C	RT-1619405-D	RT-1619405-D-LS	RT-1619405-D-SLS
RT-161947.5-A	RT-161947.5-B	RT-161947.5-B-LS	RT-161947.5-B-SLS	RT-161947.5-C	RT-161947.5-D	RT-161947.5-D-LS	RT-161947.5-D-SLS
RT-1619410-A	RT-1619410-B	RT-1619410-B-LS	RT-1619410-B-SLS	RT-1619410-C	RT-1619410-D	RT-1619410-D-LS	RT-1619410-D-SLS
RT-1619415-A	RT-1619415-B	RT-1619415-B-LS	RT-1619415-B-SLS	RT-1619415-C	RT-1619415-D	RT-1619415-D-LS	RT-1619415-D-SLS
RT-1619420-A	RT-1619420-B	RT-1619420-B-LS	RT-1619420-B-SLS	RT-1619420-C	RT-1619420-D	RT-1619420-D-LS	RT-1619420-D-SLS
RT-1622405-A	RT-1622405-B	RT-1622405-B-LS	RT-1622405-B-SLS	RT-1622405-C	RT-1622405-D	RT-1622405-D-LS	RT-1622405-D-SLS
RT-162247.5-A	RT-162247.5-B	RT-162247.5-B-LS	RT-162247.5-B-SLS	RT-162247.5-C	RT-162247.5-D	RT-162247.5-D-LS	RT-162247.5-D-SLS
RT-1622410-A	RT-1622410-B	RT-1622410-B-LS	RT-1622410-B-SLS	RT-1622410-C	RT-1622410-D	RT-1622410-D-LS	RT-1622410-D-SLS
RT-1622415-A	RT-1622415-B	RT-1622415-B-LS	RT-1622415-B-SLS	RT-1622415-C	RT-1622415-D	RT-1622415-D-LS	RT-1622415-D-SLS
RT-1622420-A	RT-1622420-B	RT-1622420-B-LS	RT-1622420-B-SLS	RT-1622420-C	RT-1622420-D	RT-1622420-D-LS	RT-1622420-D-SLS
RT-1622425-A	RT-1622425-B	RT-1622425-B-LS	RT-1622425-B-SLS	RT-1622425-C	RT-1622425-D	RT-1622425-D-LS	RT-1622425-D-SLS
RT-1624405-A	RT-1624405-B	RT-1624405-B-LS	RT-1624405-B-SLS	RT-1624405-C	RT-1624405-D	RT-1624405-D-LS	RT-1624405-D-SLS
RT-162447.5-A	RT-162447.5-B	RT-162447.5-B-LS	RT-162447.5-B-SLS	RT-162447.5-C	RT-162447.5-D	RT-162447.5-D-LS	RT-162447.5-D-SLS
RT-1624410-A	RT-1624410-B	RT-1624410-B-LS	RT-1624410-B-SLS	RT-1624410-C	RT-1624410-D	RT-1624410-D-LS	RT-1624410-D-SLS
RT-1624415-A	RT-1624415-B	RT-1624415-B-LS	RT-1624415-B-SLS	RT-1624415-C	RT-1624415-D	RT-1624415-D-LS	RT-1624415-D-SLS
RT-1624420-A	RT-1624420-B	RT-1624420-B-LS	RT-1624420-B-SLS	RT-1624420-C	RT-1624420-D	RT-1624420-D-LS	RT-1624420-D-SLS
RT-1624425-A	RT-1624425-B	RT-1624425-B-LS	RT-1624425-B-SLS	RT-1624425-C	RT-1624425-D	RT-1624425-D-LS	RT-1624425-D-SLS
RT-1627405-A	RT-1627405-B	RT-1627405-B-LS	RT-1627405-B-SLS	RT-1627405-C	RT-1627405-D	RT-1627405-D-LS	RT-1627405-D-SLS
RT-162747.5-A	RT-162747.5-B	RT-162747.5-B-LS	RT-162747.5-B-SLS	RT-162747.5-C	RT-162747.5-D	RT-162747.5-D-LS	RT-162747.5-D-SLS
RT-1627410-A	RT-1627410-B	RT-1627410-B-LS	RT-1627410-B-SLS	RT-1627410-C	RT-1627410-D	RT-1627410-D-LS	RT-1627410-D-SLS
RT-1627415-A	RT-1627415-B	RT-1627415-B-LS	RT-1627415-B-SLS	RT-1627415-C	RT-1627415-D	RT-1627415-D-LS	RT-1627415-D-SLS
RT-1627420-A	RT-1627420-B	RT-1627420-B-LS	RT-1627420-B-SLS	RT-1627420-C	RT-1627420-D	RT-1627420-D-LS	RT-1627420-D-SLS
RT-1627425-A	RT-1627425-B	RT-1627425-B-LS	RT-1627425-B-SLS	RT-1627425-C	RT-1627425-D	RT-1627425-D-LS	RT-1627425-D-SLS

RT Models Continued on Next Page



COOLING TECHNOLOGY INSTITUTE

P. O. Box 681807, Houston, Texas 77268 • 3845 Cypress Creek Parkway, Ste 420, Houston, Texas 77068
Phone: 281.583.4087 • Fax: 281.537.1721 • email: vmanser@cti.org • http://www.cti.org

RT Models (Note 1) Below are Single Units with 1 Fan/Unit and 4 Air Inlet Faces/Unit

RTG-1012103-A	RTG-1012103-B	RTG-1012103-C	RTG-1012103-D	RTG-1014103-A	RTG-1014103-B	RTG-1014103-C	RTG-1014103-D
RTG-1012105-A	RTG-1012105-B	RTG-1012105-C	RTG-1012105-D	RTG-1014105-A	RTG-1014105-B	RTG-1014105-C	RTG-1014105-D
RTG-101217.5-A	RTG-101217.5-B	RTG-101217.5-C	RTG-101217.5-D	RTG-101417.5-A	RTG-101417.5-B	RTG-101417.5-C	RTG-101417.5-D
RTG-1012110-A	RTG-1012110-B	RTG-1012110-C	RTG-1012110-D	RTG-1014110-A	RTG-1014110-B	RTG-1014110-C	RTG-1014110-D
RTG-1012115-A	RTG-1012115-B	RTG-1012115-C	RTG-1012115-D	RTG-1014115-A	RTG-1014115-B	RTG-1014115-C	RTG-1014115-D
RTG-1012120-A	RTG-1012120-B	RTG-1012120-C	RTG-1012120-D	RTG-1014120-A	RTG-1014120-B	RTG-1014120-C	RTG-1014120-D
RTG-1012125-A	RTG-1012125-B	RTG-1012125-C	RTG-1012125-D	RTG-1014125-A	RTG-1014125-B	RTG-1014125-C	RTG-1014125-D
	RTG-1012130-B		RTG-1012130-D		RTG-1014130-B	RTG-1014130-C	RTG-1014130-D
							RTG-1014140-D
RTG-1016103-A	RTG-1016103-B	RTG-1016103-C	RTG-1016103-D	RTG-1018103-A	RTG-1018103-B	RTG-1018103-C	RTG-1018103-D
RTG-1016105-A	RTG-1016105-B	RTG-1016105-C	RTG-1016105-D	RTG-1018105-A	RTG-1018105-B	RTG-1018105-C	RTG-1018105-D
RTG-101617.5-A	RTG-101617.5-B	RTG-101617.5-C	RTG-101617.5-D	RTG-101817.5-A	RTG-101817.5-B	RTG-101817.5-C	RTG-101817.5-D
RTG-1016110-A	RTG-1016110-B	RTG-1016110-C	RTG-1016110-D	RTG-1018110-A	RTG-1018110-B	RTG-1018110-C	RTG-1018110-D
RTG-1016115-A	RTG-1016115-B	RTG-1016115-C	RTG-1016115-D	RTG-1018115-A	RTG-1018115-B	RTG-1018115-C	RTG-1018115-D
RTG-1016120-A	RTG-1016120-B	RTG-1016120-C	RTG-1016120-D	RTG-1018120-A	RTG-1018120-B	RTG-1018120-C	RTG-1018120-D
RTG-1016125-A	RTG-1016125-B	RTG-1016125-C	RTG-1016125-D	RTG-1018125-A	RTG-1018125-B	RTG-1018125-C	RTG-1018125-D
RTG-1016130-A	RTG-1016130-B	RTG-1016130-C	RTG-1016130-D	RTG-1018130-A	RTG-1018130-B	RTG-1018130-C	RTG-1018130-D
	RTG-1016140-B		RTG-1016140-D	RTG-1018140-A	RTG-1018140-B	RTG-1018140-C	RTG-1018140-D
							RTG-1018150-D
RTG-1020103-A	RTG-1020103-B	RTG-1020103-C	RTG-1020103-D	RTG-1212105-A	RTG-1212105-B	RTG-1212105-C	RTG-1212105-D
RTG-1020105-A	RTG-1020105-B	RTG-1020105-C	RTG-1020105-D	RTG-121217.5-A	RTG-121217.5-B	RTG-121217.5-C	RTG-121217.5-D
RTG-102017.5-A	RTG-102017.5-B	RTG-102017.5-C	RTG-102017.5-D	RTG-1212110-A	RTG-1212110-B	RTG-1212110-C	RTG-1212110-D
RTG-1020110-A	RTG-1020110-B	RTG-1020110-C	RTG-1020110-D	RTG-1212115-A	RTG-1212115-B	RTG-1212115-C	RTG-1212115-D
RTG-1020115-A	RTG-1020115-B	RTG-1020115-C	RTG-1020115-D	RTG-1212120-A	RTG-1212120-B	RTG-1212120-C	RTG-1212120-D
RTG-1020120-A	RTG-1020120-B	RTG-1020120-C	RTG-1020120-D	RTG-1212125-A	RTG-1212125-B	RTG-1212125-C	RTG-1212125-D
RTG-1020125-A	RTG-1020125-B	RTG-1020125-C	RTG-1020125-D		RTG-1212130-B	RTG-1212130-C	RTG-1212130-D
RTG-1020130-A	RTG-1020130-B	RTG-1020130-C	RTG-1020130-D				RTG-1212140-D
RTG-1020140-A	RTG-1020140-B	RTG-1020140-C	RTG-1020140-D				
	RTG-1020150-B	RTG-1020150-C	RTG-1020150-D				
			RTG-1020160-D				
RTG-1214105-A	RTG-1214105-B	RTG-1214105-C	RTG-1214105-D	RTG-1216105-A	RTG-1216105-B	RTG-1216105-C	RTG-1216105-D
RTG-121417.5-A	RTG-121417.5-B	RTG-121417.5-C	RTG-121417.5-D	RTG-121617.5-A	RTG-121617.5-B	RTG-121617.5-C	RTG-121617.5-D
RTG-1214110-A	RTG-1214110-B	RTG-1214110-C	RTG-1214110-D	RTG-1216110-A	RTG-1216110-B	RTG-1216110-C	RTG-1216110-D
RTG-1214115-A	RTG-1214115-B	RTG-1214115-C	RTG-1214115-D	RTG-1216115-A	RTG-1216115-B	RTG-1216115-C	RTG-1216115-D
RTG-1214120-A	RTG-1214120-B	RTG-1214120-C	RTG-1214120-D	RTG-1216120-A	RTG-1216120-B	RTG-1216120-C	RTG-1216120-D
RTG-1214125-A	RTG-1214125-B	RTG-1214125-C	RTG-1214125-D	RTG-1216125-A	RTG-1216125-B	RTG-1216125-C	RTG-1216125-D
RTG-1214130-A	RTG-1214130-B	RTG-1214130-C	RTG-1214130-D	RTG-1216130-A	RTG-1216130-B	RTG-1216130-C	RTG-1216130-D
	RTG-1214140-B	RTG-1214140-C	RTG-1214140-D		RTG-1216140-B	RTG-1216140-C	RTG-1216140-D
			RTG-1214150-D				RTG-1216150-D
RTG-1218105-A	RTG-1218105-B	RTG-1218105-C	RTG-1218105-D	RTG-1220105-A	RTG-1220105-B	RTG-1220105-C	RTG-1220105-D
RTG-121817.5-A	RTG-121817.5-B	RTG-121817.5-C	RTG-121817.5-D	RTG-122017.5-A	RTG-122017.5-B	RTG-122017.5-C	RTG-122017.5-D
RTG-1218110-A	RTG-1218110-B	RTG-1218110-C	RTG-1218110-D	RTG-1220110-A	RTG-1220110-B	RTG-1220110-C	RTG-1220110-D
RTG-1218115-A	RTG-1218115-B	RTG-1218115-C	RTG-1218115-D	RTG-1220115-A	RTG-1220115-B	RTG-1220115-C	RTG-1220115-D
RTG-1218120-A	RTG-1218120-B	RTG-1218120-C	RTG-1218120-D	RTG-1220120-A	RTG-1220120-B	RTG-1220120-C	RTG-1220120-D
RTG-1218125-A	RTG-1218125-B	RTG-1218125-C	RTG-1218125-D	RTG-1220125-A	RTG-1220125-B	RTG-1220125-C	RTG-1220125-D
RTG-1218130-A	RTG-1218130-B	RTG-1218130-C	RTG-1218130-D	RTG-1220130-A	RTG-1220130-B	RTG-1220130-C	RTG-1220130-D
RTG-1218140-A	RTG-1218140-B	RTG-1218140-C	RTG-1218140-D	RTG-1220140-A	RTG-1220140-B	RTG-1220140-C	RTG-1220140-D
	RTG-1218150-B	RTG-1218150-C	RTG-1218150-D	RTG-1220150-A	RTG-1220150-B	RTG-1220150-C	RTG-1220150-D
			RTG-1218160-D		RTG-1220160-B	RTG-1220160-C	RTG-1220160-D
							RTG-1220175-D
RTG-1222105-A	RTG-1222125-A	RTG-1222105-B	RTG-1222130-B	RTG-1222105-C	RTG-1222130-C	RTG-1222105-D	RTG-1222130-D
RTG-122217.5-A	RTG-1222130-A	RTG-122217.5-B	RTG-1222140-B	RTG-122217.5-C	RTG-1222140-C	RTG-122217.5-D	RTG-1222140-D
RTG-1222110-A	RTG-1222140-A	RTG-1222110-B	RTG-1222150-B	RTG-1222110-C	RTG-1222150-C	RTG-1222110-D	RTG-1222150-D
RTG-1222115-A	RTG-1222150-A	RTG-1222115-B	RTG-1222160-B	RTG-1222115-C	RTG-1222160-C	RTG-1222115-D	RTG-1222160-D
RTG-1222120-A	RTG-1222160-A	RTG-1222120-B	RTG-1222175-B	RTG-1222120-C	RTG-1222175-C	RTG-1222120-D	RTG-1222175-D
		RTG-1222125-B		RTG-1222125-C		RTG-1222125-D	

RT Models Continued on Next Page



COOLING TECHNOLOGY INSTITUTE

P. O. Box 681807, Houston, Texas 77268 • 3845 Cypress Creek Parkway, Ste 420, Houston, Texas 77068
Phone: 281.583.4087 • Fax: 281.537.1721 • email: vmanser@cti.org • http://www.cti.org

**Reymosa Cooling Towers, Inc.
(Div. Fabrica Mexicana De Torres, S. A.)
RT Series of CTI Certified Cooling Towers
CTI Certification Validation Number C22G-13R03
July 17, 2017 (Revision 4)**

RT Models (Note 1) Below are Single Units with 1 Fan/Unit and 4 Air Inlet Faces/Unit

RTG-1223110-E
RTG-1223115-E
RTG-1223120-E
RTG-1223125-E
RTG-1223130-E
RTG-1223140-E
RTG-1223150-E
RTG-1223160-E

RT Models Concluded



COOLING TECHNOLOGY INSTITUTE

P. O. Box 681807, Houston, Texas 77268 • 3845 Cypress Creek Parkway, Ste 420, Houston, Texas 77068
Phone: 281.583.4087 • Fax: 281.537.1721 • email: vmanser@cti.org • http://www.cti.org

Reymosa Cooling Towers, Inc.
(Div. Fabrica Mexicana De Torres, S. A.)
RT Series of CTI Certified Cooling Towers
CTI Certification Validation Number C22G-13R04
July 17, 2017 (Revision 4)

RTM Models (Note 2) Below are Modular Units with 2 Fans/Unit and 2 or 3 Air Inlet Faces/Unit

RTM-714205-B-T1	RTM-714205-B-T2	RTM-714205-B-T1-LS	RTM-714205-B-T2-LS	RTM-714205-B-T1-SLS	RTM-714205-B-T2-SLS
RTM-71427.5-B-T1	RTM-71427.5-B-T2	RTM-71427.5-B-T1-LS	RTM-71427.5-B-T2-LS	RTM-71427.5-B-T1-SLS	RTM-71427.5-B-T2-SLS
RTM-714210-B-T1	RTM-714210-B-T2	RTM-714210-B-T1-LS	RTM-714210-B-T2-LS	RTM-714210-B-T1-SLS	RTM-714210-B-T2-SLS
RTM-816205-B-T1	RTM-816205-B-T2	RTM-816205-B-T1-LS	RTM-816205-B-T2-LS	RTM-816205-B-T1-SLS	RTM-816205-B-T2-SLS
RTM-81627.5-B-T1	RTM-81627.5-B-T2	RTM-81627.5-B-T1-LS	RTM-81627.5-B-T2-LS	RTM-81627.5-B-T1-SLS	RTM-81627.5-B-T2-SLS
RTM-816210-B-T1	RTM-816210-B-T2	RTM-816210-B-T1-LS	RTM-816210-B-T2-LS	RTM-816210-B-T1-SLS	RTM-816210-B-T2-SLS
RTM-816215-B-T1	RTM-816215-B-T2	RTM-816215-B-T1-LS	RTM-816215-B-T2-LS	RTM-816215-B-T1-SLS	RTM-816215-B-T2-SLS
RTM-819205-B-T1	RTM-819205-B-T2	RTM-819205-B-T1-LS	RTM-819205-B-T2-LS	RTM-819205-B-T1-SLS	RTM-819205-B-T2-SLS
RTM-81927.5-B-T1	RTM-81927.5-B-T2	RTM-81927.5-B-T1-LS	RTM-81927.5-B-T2-LS	RTM-81927.5-B-T1-SLS	RTM-81927.5-B-T2-SLS
RTM-819210-B-T1	RTM-819210-B-T2	RTM-819210-B-T1-LS	RTM-819210-B-T2-LS	RTM-819210-B-T1-SLS	RTM-819210-B-T2-SLS
RTM-819215-B-T1	RTM-819215-B-T2	RTM-819215-B-T1-LS	RTM-819215-B-T2-LS	RTM-819215-B-T1-SLS	RTM-819215-B-T2-SLS
RTM-819220-B-T1	RTM-819220-B-T2	RTM-819220-B-T1-LS	RTM-819220-B-T2-LS	RTM-819220-B-T1-SLS	RTM-819220-B-T2-SLS
RTM-822205-B-T1	RTM-822205-B-T2	RTM-822205-B-T1-LS	RTM-822205-B-T2-LS	RTM-822205-B-T1-SLS	RTM-822205-B-T2-SLS
RTM-82227.5-B-T1	RTM-82227.5-B-T2	RTM-82227.5-B-T1-LS	RTM-82227.5-B-T2-LS	RTM-82227.5-B-T1-SLS	RTM-82227.5-B-T2-SLS
RTM-822210-B-T1	RTM-822210-B-T2	RTM-822210-B-T1-LS	RTM-822210-B-T2-LS	RTM-822210-B-T1-SLS	RTM-822210-B-T2-SLS
RTM-822215-B-T1	RTM-822215-B-T2	RTM-822215-B-T1-LS	RTM-822215-B-T2-LS	RTM-822215-B-T1-SLS	RTM-822215-B-T2-SLS
RTM-822220-B-T1	RTM-822220-B-T2	RTM-822220-B-T1-LS	RTM-822220-B-T2-LS	RTM-822220-B-T1-SLS	RTM-822220-B-T2-SLS
RTM-822225-B-T1	RTM-822225-B-T2	RTM-822225-B-T1-LS	RTM-822225-B-T2-LS	RTM-822225-B-T1-SLS	RTM-822225-B-T2-SLS
RTM-824205-B-T1	RTM-824205-B-T2	RTM-824205-B-T1-LS	RTM-824205-B-T2-LS	RTM-824205-B-T1-SLS	RTM-824205-B-T2-SLS
RTM-82427.5-B-T1	RTM-82427.5-B-T2	RTM-82427.5-B-T1-LS	RTM-82427.5-B-T2-LS	RTM-82427.5-B-T1-SLS	RTM-82427.5-B-T2-SLS
RTM-824210-B-T1	RTM-824210-B-T2	RTM-824210-B-T1-LS	RTM-824210-B-T2-LS	RTM-824210-B-T1-SLS	RTM-824210-B-T2-SLS
RTM-824215-B-T1	RTM-824215-B-T2	RTM-824215-B-T1-LS	RTM-824215-B-T2-LS	RTM-824215-B-T1-SLS	RTM-824215-B-T2-SLS
RTM-824220-B-T1	RTM-824220-B-T2	RTM-824220-B-T1-LS	RTM-824220-B-T2-LS	RTM-824220-B-T1-SLS	RTM-824220-B-T2-SLS
RTM-824225-B-T1	RTM-824225-B-T2	RTM-824225-B-T1-LS	RTM-824225-B-T2-LS	RTM-824225-B-T1-SLS	RTM-824225-B-T2-SLS
RTM-827205-B-T1	RTM-827205-B-T2	RTM-827205-B-T1-LS	RTM-827205-B-T2-LS	RTM-827205-B-T1-SLS	RTM-827205-B-T2-SLS
RTM-82727.5-B-T1	RTM-82727.5-B-T2	RTM-82727.5-B-T1-LS	RTM-82727.5-B-T2-LS	RTM-82727.5-B-T1-SLS	RTM-82727.5-B-T2-SLS
RTM-827210-B-T1	RTM-827210-B-T2	RTM-827210-B-T1-LS	RTM-827210-B-T2-LS	RTM-827210-B-T1-SLS	RTM-827210-B-T2-SLS
RTM-827215-B-T1	RTM-827215-B-T2	RTM-827215-B-T1-LS	RTM-827215-B-T2-LS	RTM-827215-B-T1-SLS	RTM-827215-B-T2-SLS
RTM-827220-B-T1	RTM-827220-B-T2	RTM-827220-B-T1-LS	RTM-827220-B-T2-LS	RTM-827220-B-T1-SLS	RTM-827220-B-T2-SLS
RTM-827225-B-T1	RTM-827225-B-T2	RTM-827225-B-T1-LS	RTM-827225-B-T2-LS	RTM-827225-B-T1-SLS	RTM-827225-B-T2-SLS

RTM Models Continued on Next Page



COOLING TECHNOLOGY INSTITUTE

P. O. Box 681807, Houston, Texas 77268 • 3845 Cypress Creek Parkway, Ste 420, Houston, Texas 77068
Phone: 281.583.4087 • Fax: 281.537.1721 • email: vmanser@cti.org • http://www.cti.org

RTM Models (Note 2) Below are Modular Units with 2 Fans/Unit and 2 or 3 Air Inlet Faces/Unit

RTM-714205-D-T1	RTM-714205-D-T2	RTM-714205-D-T1-LS	RTM-714205-D-T2-LS	RTM-714205-D-T1-SLS	RTM-714205-D-T2-SLS
RTM-71427.5-D-T1	RTM-71427.5-D-T2	RTM-71427.5-D-T1-LS	RTM-71427.5-D-T2-LS	RTM-71427.5-D-T1-SLS	RTM-71427.5-D-T2-SLS
RTM-714210-D-T1	RTM-714210-D-T2	RTM-714210-D-T1-LS	RTM-714210-D-T2-LS	RTM-714210-D-T1-SLS	RTM-714210-D-T2-SLS
RTM-816205-D-T1	RTM-816205-D-T2	RTM-816205-D-T1-LS	RTM-816205-D-T2-LS	RTM-816205-D-T1-SLS	RTM-816205-D-T2-SLS
RTM-81627.5-D-T1	RTM-81627.5-D-T2	RTM-81627.5-D-T1-LS	RTM-81627.5-D-T2-LS	RTM-81627.5-D-T1-SLS	RTM-81627.5-D-T2-SLS
RTM-816210-D-T1	RTM-816210-D-T2	RTM-816210-D-T1-LS	RTM-816210-D-T2-LS	RTM-816210-D-T1-SLS	RTM-816210-D-T2-SLS
RTM-816215-D-T1	RTM-816215-D-T2	RTM-816215-D-T1-LS	RTM-816215-D-T2-LS	RTM-816215-D-T1-SLS	RTM-816215-D-T2-SLS
RTM-819205-D-T1	RTM-819205-D-T2	RTM-819205-D-T1-LS	RTM-819205-D-T2-LS	RTM-819205-D-T1-SLS	RTM-819205-D-T2-SLS
RTM-81927.5-D-T1	RTM-81927.5-D-T2	RTM-81927.5-D-T1-LS	RTM-81927.5-D-T2-LS	RTM-81927.5-D-T1-SLS	RTM-81927.5-D-T2-SLS
RTM-819210-D-T1	RTM-819210-D-T2	RTM-819210-D-T1-LS	RTM-819210-D-T2-LS	RTM-819210-D-T1-SLS	RTM-819210-D-T2-SLS
RTM-819215-D-T1	RTM-819215-D-T2	RTM-819215-D-T1-LS	RTM-819215-D-T2-LS	RTM-819215-D-T1-SLS	RTM-819215-D-T2-SLS
RTM-819220-D-T1	RTM-819220-D-T2	RTM-819220-D-T1-LS	RTM-819220-D-T2-LS	RTM-819220-D-T1-SLS	RTM-819220-D-T2-SLS
RTM-822205-D-T1	RTM-822205-D-T2	RTM-822205-D-T1-LS	RTM-822205-D-T2-LS	RTM-822205-D-T1-SLS	RTM-822205-D-T2-SLS
RTM-82227.5-D-T1	RTM-82227.5-D-T2	RTM-82227.5-D-T1-LS	RTM-82227.5-D-T2-LS	RTM-82227.5-D-T1-SLS	RTM-82227.5-D-T2-SLS
RTM-822210-D-T1	RTM-822210-D-T2	RTM-822210-D-T1-LS	RTM-822210-D-T2-LS	RTM-822210-D-T1-SLS	RTM-822210-D-T2-SLS
RTM-822215-D-T1	RTM-822215-D-T2	RTM-822215-D-T1-LS	RTM-822215-D-T2-LS	RTM-822215-D-T1-SLS	RTM-822215-D-T2-SLS
RTM-822220-D-T1	RTM-822220-D-T2	RTM-822220-D-T1-LS	RTM-822220-D-T2-LS	RTM-822220-D-T1-SLS	RTM-822220-D-T2-SLS
RTM-822225-D-T1	RTM-822225-D-T2	RTM-822225-D-T1-LS	RTM-822225-D-T2-LS	RTM-822225-D-T1-SLS	RTM-822225-D-T2-SLS
RTM-824205-D-T1	RTM-824205-D-T2	RTM-824205-D-T1-LS	RTM-824205-D-T2-LS	RTM-824205-D-T1-SLS	RTM-824205-D-T2-SLS
RTM-82427.5-D-T1	RTM-82427.5-D-T2	RTM-82427.5-D-T1-LS	RTM-82427.5-D-T2-LS	RTM-82427.5-D-T1-SLS	RTM-82427.5-D-T2-SLS
RTM-824210-D-T1	RTM-824210-D-T2	RTM-824210-D-T1-LS	RTM-824210-D-T2-LS	RTM-824210-D-T1-SLS	RTM-824210-D-T2-SLS
RTM-824215-D-T1	RTM-824215-D-T2	RTM-824215-D-T1-LS	RTM-824215-D-T2-LS	RTM-824215-D-T1-SLS	RTM-824215-D-T2-SLS
RTM-824220-D-T1	RTM-824220-D-T2	RTM-824220-D-T1-LS	RTM-824220-D-T2-LS	RTM-824220-D-T1-SLS	RTM-824220-D-T2-SLS
RTM-824225-D-T1	RTM-824225-D-T2	RTM-824225-D-T1-LS	RTM-824225-D-T2-LS	RTM-824225-D-T1-SLS	RTM-824225-D-T2-SLS
RTM-827205-D-T1	RTM-827205-D-T2	RTM-827205-D-T1-LS	RTM-827205-D-T2-LS	RTM-827205-D-T1-SLS	RTM-827205-D-T2-SLS
RTM-82727.5-D-T1	RTM-82727.5-D-T2	RTM-82727.5-D-T1-LS	RTM-82727.5-D-T2-LS	RTM-82727.5-D-T1-SLS	RTM-82727.5-D-T2-SLS
RTM-827210-D-T1	RTM-827210-D-T2	RTM-827210-D-T1-LS	RTM-827210-D-T2-LS	RTM-827210-D-T1-SLS	RTM-827210-D-T2-SLS
RTM-827215-D-T1	RTM-827215-D-T2	RTM-827215-D-T1-LS	RTM-827215-D-T2-LS	RTM-827215-D-T1-SLS	RTM-827215-D-T2-SLS
RTM-827220-D-T1	RTM-827220-D-T2	RTM-827220-D-T1-LS	RTM-827220-D-T2-LS	RTM-827220-D-T1-SLS	RTM-827220-D-T2-SLS
RTM-827225-D-T1	RTM-827225-D-T2	RTM-827225-D-T1-LS	RTM-827225-D-T2-LS	RTM-827225-D-T1-SLS	RTM-827225-D-T2-SLS

RTM Models Continued on Next Page



COOLING TECHNOLOGY INSTITUTE

P. O. Box 681807, Houston, Texas 77268 • 3845 Cypress Creek Parkway, Ste 420, Houston, Texas 77068
Phone: 281.583.4087 • Fax: 281.537.1721 • email: vmanser@cti.org • http://www.cti.org

RTM Models (Note 2) Below are Modular Units with Gear Drive and 1 Fan/Unit and 2 or 3 Air Inlet Faces/Unit 10 foot Width Units

RTGM-1012103-B-T1	RTGM-1012103-B-T2	RTGM-1012103-D-T1	RTGM-1012103-D-T2
RTGM-1012105-B-T1	RTGM-1012105-B-T2	RTGM-1012105-D-T1	RTGM-1012105-D-T2
RTGM-101217.5-B-T1	RTGM-101217.5-B-T2	RTGM-101217.5-D-T1	RTGM-101217.5-D-T2
RTGM-1012110-B-T1	RTGM-1012110-B-T2	RTGM-1012110-D-T1	RTGM-1012110-D-T2
RTGM-1012115-B-T1	RTGM-1012115-B-T2	RTGM-1012115-D-T1	RTGM-1012115-D-T2
RTGM-1012120-B-T1	RTGM-1012120-B-T2	RTGM-1012120-D-T1	RTGM-1012120-D-T2
RTGM-1012125-B-T1	RTGM-1012125-B-T2	RTGM-1012125-D-T1	RTGM-1012125-D-T2
RTGM-1012130-B-T1	RTGM-1012130-B-T2	RTGM-1012130-D-T1	RTGM-1012130-D-T2
RTGM-1014103-B-T1	RTGM-1014103-B-T2	RTGM-1014103-D-T1	RTGM-1014103-D-T2
RTGM-1014105-B-T1	RTGM-1014105-B-T2	RTGM-1014105-D-T1	RTGM-1014105-D-T2
RTGM-101417.5-B-T1	RTGM-101417.5-B-T2	RTGM-101417.5-D-T1	RTGM-101417.5-D-T2
RTGM-1014110-B-T1	RTGM-1014110-B-T2	RTGM-1014110-D-T1	RTGM-1014110-D-T2
RTGM-1014115-B-T1	RTGM-1014115-B-T2	RTGM-1014115-D-T1	RTGM-1014115-D-T2
RTGM-1014120-B-T1	RTGM-1014120-B-T2	RTGM-1014120-D-T1	RTGM-1014120-D-T2
RTGM-1014125-B-T1	RTGM-1014125-B-T2	RTGM-1014125-D-T1	RTGM-1014125-D-T2
RTGM-1014130-B-T1	RTGM-1014130-B-T2	RTGM-1014130-D-T1	RTGM-1014130-D-T2
		RTGM-1014140-D-T1	RTGM-1014140-D-T2
RTGM-1016103-B-T1	RTGM-1016103-B-T2	RTGM-1016103-D-T1	RTGM-1016103-D-T2
RTGM-1016105-B-T1	RTGM-1016105-B-T2	RTGM-1016105-D-T1	RTGM-1016105-D-T2
RTGM-101617.5-B-T1	RTGM-101617.5-B-T2	RTGM-101617.5-D-T1	RTGM-101617.5-D-T2
RTGM-1016110-B-T1	RTGM-1016110-B-T2	RTGM-1016110-D-T1	RTGM-1016110-D-T2
RTGM-1016115-B-T1	RTGM-1016115-B-T2	RTGM-1016115-D-T1	RTGM-1016115-D-T2
RTGM-1016120-B-T1	RTGM-1016120-B-T2	RTGM-1016120-D-T1	RTGM-1016120-D-T2
RTGM-1016125-B-T1	RTGM-1016125-B-T2	RTGM-1016125-D-T1	RTGM-1016125-D-T2
RTGM-1016130-B-T1	RTGM-1016130-B-T2	RTGM-1016130-D-T1	RTGM-1016130-D-T2
RTGM-1016140-B-T1	RTGM-1016140-B-T2	RTGM-1016140-D-T1	RTGM-1016140-D-T2
RTGM-1018103-B-T1	RTGM-1018103-B-T2	RTGM-1018103-D-T1	RTGM-1018103-D-T2
RTGM-1018105-B-T1	RTGM-1018105-B-T2	RTGM-1018105-D-T1	RTGM-1018105-D-T2
RTGM-101817.5-B-T1	RTGM-101817.5-B-T2	RTGM-101817.5-D-T1	RTGM-101817.5-D-T2
RTGM-1018110-B-T1	RTGM-1018110-B-T2	RTGM-1018110-D-T1	RTGM-1018110-D-T2
RTGM-1018115-B-T1	RTGM-1018115-B-T2	RTGM-1018115-D-T1	RTGM-1018115-D-T2
RTGM-1018120-B-T1	RTGM-1018120-B-T2	RTGM-1018120-D-T1	RTGM-1018120-D-T2
RTGM-1018125-B-T1	RTGM-1018125-B-T2	RTGM-1018125-D-T1	RTGM-1018125-D-T2
RTGM-1018130-B-T1	RTGM-1018130-B-T2	RTGM-1018130-D-T1	RTGM-1018130-D-T2
RTGM-1018140-B-T1	RTGM-1018140-B-T2	RTGM-1018140-D-T1	RTGM-1018140-D-T2
		RTGM-1018150-D-T1	RTGM-1018150-D-T2
RTGM-1020103-B-T1	RTGM-1020103-B-T2	RTGM-1020103-D-T1	RTGM-1020103-D-T2
RTGM-1020105-B-T1	RTGM-1020105-B-T2	RTGM-1020105-D-T1	RTGM-1020105-D-T2
RTGM-102017.5-B-T1	RTGM-102017.5-B-T2	RTGM-102017.5-D-T1	RTGM-102017.5-D-T2
RTGM-1020110-B-T1	RTGM-1020110-B-T2	RTGM-1020110-D-T1	RTGM-1020110-D-T2
RTGM-1020115-B-T1	RTGM-1020115-B-T2	RTGM-1020115-D-T1	RTGM-1020115-D-T2
RTGM-1020120-B-T1	RTGM-1020120-B-T2	RTGM-1020120-D-T1	RTGM-1020120-D-T2
RTGM-1020125-B-T1	RTGM-1020125-B-T2	RTGM-1020125-D-T1	RTGM-1020125-D-T2
RTGM-1020130-B-T1	RTGM-1020130-B-T2	RTGM-1020130-D-T1	RTGM-1020130-D-T2
RTGM-1020140-B-T1	RTGM-1020140-B-T2	RTGM-1020140-D-T1	RTGM-1020140-D-T2
RTGM-1020150-B-T1	RTGM-1020150-B-T2	RTGM-1020150-D-T1	RTGM-1020150-D-T2
		RTGM-1020160-D-T1	RTGM-1020160-D-T2

RTM Models Continued on Next Page



COOLING TECHNOLOGY INSTITUTE

P. O. Box 681807, Houston, Texas 77268 • 3845 Cypress Creek Parkway, Ste 420, Houston, Texas 77068
Phone: 281.583.4087 • Fax: 281.537.1721 • email: vmanser@cti.org • http://www.cti.org

RTM Models (Note 2) Below are Modular Units with Gear Drive and 1 Fan/Unit and 2 or 3 Air Inlet Faces/Unit 12 foot Width Units

RTGM-1212105-B-T1	RTGM-1212105-B-T2	RTGM-1212105-D-T1	RTGM-1212105-D-T2
RTGM-121217.5-B-T1	RTGM-121217.5-B-T2	RTGM-121217.5-D-T1	RTGM-121217.5-D-T2
RTGM-1212110-B-T1	RTGM-1212110-B-T2	RTGM-1212110-D-T1	RTGM-1212110-D-T2
RTGM-1212115-B-T1	RTGM-1212115-B-T2	RTGM-1212115-D-T1	RTGM-1212115-D-T2
RTGM-1212120-B-T1	RTGM-1212120-B-T2	RTGM-1212120-D-T1	RTGM-1212120-D-T2
RTGM-1212125-B-T1	RTGM-1212125-B-T2	RTGM-1212125-D-T1	RTGM-1212125-D-T2
RTGM-1212130-B-T1	RTGM-1212130-B-T2	RTGM-1212130-D-T1	RTGM-1212130-D-T2
		RTGM-1212140-D-T1	RTGM-1212140-D-T2
RTGM-1214105-B-T1	RTGM-1214105-B-T2	RTGM-1214105-D-T1	RTGM-1214105-D-T2
RTGM-121417.5-B-T1	RTGM-121417.5-B-T2	RTGM-121417.5-D-T1	RTGM-121417.5-D-T2
RTGM-1214110-B-T1	RTGM-1214110-B-T2	RTGM-1214110-D-T1	RTGM-1214110-D-T2
RTGM-1214115-B-T1	RTGM-1214115-B-T2	RTGM-1214115-D-T1	RTGM-1214115-D-T2
RTGM-1214120-B-T1	RTGM-1214120-B-T2	RTGM-1214120-D-T1	RTGM-1214120-D-T2
RTGM-1214125-B-T1	RTGM-1214125-B-T2	RTGM-1214125-D-T1	RTGM-1214125-D-T2
RTGM-1214130-B-T1	RTGM-1214130-B-T2	RTGM-1214130-D-T1	RTGM-1214130-D-T2
RTGM-1214140-B-T1	RTGM-1214140-B-T2	RTGM-1214140-D-T1	RTGM-1214140-D-T2
		RTGM-1214150-D-T1	RTGM-1214150-D-T2
RTGM-1216105-B-T1	RTGM-1216105-B-T2	RTGM-1216105-D-T1	RTGM-1216105-D-T2
RTGM-121617.5-B-T1	RTGM-121617.5-B-T2	RTGM-121617.5-D-T1	RTGM-121617.5-D-T2
RTGM-1216110-B-T1	RTGM-1216110-B-T2	RTGM-1216110-D-T1	RTGM-1216110-D-T2
RTGM-1216115-B-T1	RTGM-1216115-B-T2	RTGM-1216115-D-T1	RTGM-1216115-D-T2
RTGM-1216120-B-T1	RTGM-1216120-B-T2	RTGM-1216120-D-T1	RTGM-1216120-D-T2
RTGM-1216125-B-T1	RTGM-1216125-B-T2	RTGM-1216125-D-T1	RTGM-1216125-D-T2
RTGM-1216130-B-T1	RTGM-1216130-B-T2	RTGM-1216130-D-T1	RTGM-1216130-D-T2
RTGM-1216140-B-T1	RTGM-1216140-B-T2	RTGM-1216140-D-T1	RTGM-1216140-D-T2
		RTGM-1216150-D-T1	RTGM-1216150-D-T2
RTGM-1218105-B-T1	RTGM-1218105-B-T2	RTGM-1218105-D-T1	RTGM-1218105-D-T2
RTGM-121817.5-B-T1	RTGM-121817.5-B-T2	RTGM-121817.5-D-T1	RTGM-121817.5-D-T2
RTGM-1218110-B-T1	RTGM-1218110-B-T2	RTGM-1218110-D-T1	RTGM-1218110-D-T2
RTGM-1218115-B-T1	RTGM-1218115-B-T2	RTGM-1218115-D-T1	RTGM-1218115-D-T2
RTGM-1218120-B-T1	RTGM-1218120-B-T2	RTGM-1218120-D-T1	RTGM-1218120-D-T2
RTGM-1218125-B-T1	RTGM-1218125-B-T2	RTGM-1218125-D-T1	RTGM-1218125-D-T2
RTGM-1218130-B-T1	RTGM-1218130-B-T2	RTGM-1218130-D-T1	RTGM-1218130-D-T2
RTGM-1218140-B-T1	RTGM-1218140-B-T2	RTGM-1218140-D-T1	RTGM-1218140-D-T2
RTGM-1218150-B-T1	RTGM-1218150-B-T2	RTGM-1218150-D-T1	RTGM-1218150-D-T2
		RTGM-1218160-D-T1	RTGM-1218160-D-T2
RTGM-1220105-B-T1	RTGM-1220105-B-T2	RTGM-1220105-D-T1	RTGM-1220105-D-T2
RTGM-122017.5-B-T1	RTGM-122017.5-B-T2	RTGM-122017.5-D-T1	RTGM-122017.5-D-T2
RTGM-1220110-B-T1	RTGM-1220110-B-T2	RTGM-1220110-D-T1	RTGM-1220110-D-T2
RTGM-1220115-B-T1	RTGM-1220115-B-T2	RTGM-1220115-D-T1	RTGM-1220115-D-T2
RTGM-1220120-B-T1	RTGM-1220120-B-T2	RTGM-1220120-D-T1	RTGM-1220120-D-T2
RTGM-1220125-B-T1	RTGM-1220125-B-T2	RTGM-1220125-D-T1	RTGM-1220125-D-T2
RTGM-1220130-B-T1	RTGM-1220130-B-T2	RTGM-1220130-D-T1	RTGM-1220130-D-T2
RTGM-1220140-B-T1	RTGM-1220140-B-T2	RTGM-1220140-D-T1	RTGM-1220140-D-T2
RTGM-1220150-B-T1	RTGM-1220150-B-T2	RTGM-1220150-D-T1	RTGM-1220150-D-T2
RTGM-1220160-B-T1	RTGM-1220160-B-T2	RTGM-1220160-D-T1	RTGM-1220160-D-T2
		RTGM-1220175-D-T1	RTGM-1220175-D-T2
RTGM-1222105-B-T1	RTGM-1222105-B-T2	RTGM-1222105-D-T1	RTGM-1222105-D-T2
RTGM-122217.5-B-T1	RTGM-122217.5-B-T2	RTGM-122217.5-D-T1	RTGM-122217.5-D-T2
RTGM-1222110-B-T1	RTGM-1222110-B-T2	RTGM-1222110-D-T1	RTGM-1222110-D-T2
RTGM-1222115-B-T1	RTGM-1222115-B-T2	RTGM-1222115-D-T1	RTGM-1222115-D-T2
RTGM-1222120-B-T1	RTGM-1222120-B-T2	RTGM-1222120-D-T1	RTGM-1222120-D-T2
RTGM-1222125-B-T1	RTGM-1222125-B-T2	RTGM-1222125-D-T1	RTGM-1222125-D-T2
RTGM-1222130-B-T1	RTGM-1222130-B-T2	RTGM-1222130-D-T1	RTGM-1222130-D-T2
RTGM-1222140-B-T1	RTGM-1222140-B-T2	RTGM-1222140-D-T1	RTGM-1222140-D-T2
RTGM-1222150-B-T1	RTGM-1222150-B-T2	RTGM-1222150-D-T1	RTGM-1222150-D-T2
RTGM-1222160-B-T1	RTGM-1222160-B-T2	RTGM-1222160-D-T1	RTGM-1222160-D-T2
RTGM-1222175-B-T1	RTGM-1222175-B-T2	RTGM-1222175-D-T1	RTGM-1222175-D-T2

RTM Models Continued Next Page



COOLING TECHNOLOGY INSTITUTE

P. O. Box 681807, Houston, Texas 77268 • 3845 Cypress Creek Parkway, Ste 420, Houston, Texas 77068
Phone: 281.583.4087 • Fax: 281.537.1721 • email: vmanser@cti.org • http://www.cti.org

Reymosa Cooling Towers, Inc.
(Div. Fabrica Mexicana De Torres, S. A.)
RT Series of CTI Certified Cooling Towers
CTI Certification Validation Number C22G-13R03
July 17, 2017 (Revision 4)

**RTM Models (Note 2) Below are Modular Units with Gear Drive and 1 Fan/Unit and 2 or 3 Air Inlet Faces/Unit
12 foot Width Units**

RTGM-1223110-E-T1	RTGM-1223110-E-T2
RTGM-1223115-E-T1	RTGM-1223115-E-T2
RTGM-1223120-E-T1	RTGM-1223120-E-T2
RTGM-1223125-E-T1	RTGM-1223125-E-T2
RTGM-1223130-E-T1	RTGM-1223130-E-T2
RTGM-1223140-E-T1	RTGM-1223140-E-T2
RTGM-1223150-E-T1	RTGM-1223150-E-T2
RTGM-1223160-E-T1	RTGM-1223160-E-T2

RTM Models Concluded



COOLING TECHNOLOGY INSTITUTE

P. O. Box 681807, Houston, Texas 77268 • 3845 Cypress Creek Parkway, Ste 420, Houston, Texas 77068
 Phone: 281.583.4087 • Fax: 281.537.1721 • email: vmanser@cti.org • http://www.cti.org

Reymosa Cooling Towers, Inc.
(Div. Fabrica Mexicana De Torres, S. A.)
RT Series of CTI Certified Cooling Towers
CTI Certification Validation Number C22G-13R03
July 17, 2017 (Revision 4)

**RTU Models (Note 3) Below are Reduced Height Units with 1, 2 or 4 Fans/Unit
 and 4 Air Inlets Faces/Unit**

RTU-30311.5-A	RTU-709103-A	RTU-810103-A	RTU-714203-A	RTU-819203-A	RTU-1616403-A
RTU-303102-A	RTU-709103-A-LS	RTU-810103-A-LS	RTU-714203-A-LS	RTU-819203-A-LS	RTU-1616403-A-LS
	RTU-709103-A-SLS	RTU-810103-A-SLS	RTU-714203-A-SLS	RTU-819203-A-SLS	RTU-1616403-A-SLS
RTU-404103-A	RTU-709105-A	RTU-810105-A	RTU-714205-A	RTU-819205-A	RTU-1616405-A
RTU-404105-A	RTU-709105-A-LS	RTU-810105-A-LS	RTU-714205-A-LS	RTU-819205-A-LS	RTU-1616405-A-LS
	RTU-709105-A-SLS	RTU-810105-A-SLS	RTU-714205-A-SLS	RTU-819205-A-SLS	RTU-1616405-A-SLS
RTU-505103-A	RTU-70917.5-A	RTU-81017.5-A	RTU-71427.5-A	RTU-81927.5-A	RTU-161647.5-A
RTU-505105-A	RTU-70917.5-A-LS	RTU-81017.5-A-LS	RTU-71427.5-A-LS	RTU-81927.5-A-LS	RTU-161647.5-A-LS
	RTU-70917.5-A-SLS	RTU-81017.5-A-SLS	RTU-71427.5-A-SLS	RTU-81927.5-A-SLS	RTU-161647.5-A-SLS
RTU-606103-A	RTU-709110-A	RTU-810110-A	RTU-714210-A	RTU-819210-A	RTU-1616410-A
RTU-606105-A	RTU-709110-A-LS	RTU-810110-A-LS	RTU-714210-A-LS	RTU-819210-A-LS	RTU-1616410-A-LS
RTU-60617.5-A	RTU-709110-A-SLS	RTU-810110-A-SLS	RTU-714210-A-SLS	RTU-819210-A-SLS	RTU-1616410-A-SLS
	RTU-709115-A	RTU-810115-A		RTU-819215-A	RTU-1616415-A
RTU-707103-A	RTU-709115-A-LS	RTU-810115-A-LS	RTU-816203-A	RTU-819215-A-LS	RTU-1616415-A-LS
RTU-707103-A-LS	RTU-709115-A-SLS	RTU-810115-A-SLS	RTU-816203-A-LS	RTU-819215-A-SLS	RTU-1616415-A-SLS
RTU-707103-A-SLS		RTU-810120-A	RTU-816203-A-SLS	RTU-819220-A	
RTU-707105-A	RTU-808103-A	RTU-810120-A-LS	RTU-816205-A	RTU-819220-A-LS	RTU-1619403-A
RTU-707105-A-LS	RTU-808103-A-LS	RTU-810120-A-SLS	RTU-816205-A-LS	RTU-819220-A-SLS	RTU-1619403-A-LS
RTU-707105-A-SLS	RTU-808103-A-SLS		RTU-816205-A-SLS		RTU-1619403-A-SLS
RTU-70717.5-A	RTU-808105-A	RTU-812103-A	RTU-81627.5-A	RTU-1414403-A	RTU-1619405-A
RTU-70717.5-A-LS	RTU-808105-A-LS	RTU-812103-A-LS	RTU-81627.5-A-LS	RTU-1414403-A-LS	RTU-1619405-A-LS
RTU-70717.5-A-SLS	RTU-808105-A-SLS	RTU-812103-A-SLS	RTU-81627.5-A-SLS	RTU-1414403-A-SLS	RTU-1619405-A-SLS
RTU-707110-A	RTU-80817.5-A	RTU-812105-A	RTU-816210-A	RTU-1414405-A	RTU-161947.5-A
RTU-707110-A-LS	RTU-80817.5-A-LS	RTU-812105-A-LS	RTU-816210-A-LS	RTU-1414405-A-LS	RTU-161947.5-A-LS
RTU-707110-A-SLS	RTU-80817.5-A-SLS	RTU-812105-A-SLS	RTU-816210-A-SLS	RTU-1414405-A-SLS	RTU-161947.5-A-SLS
	RTU-808110-A	RTU-81217.5-A	RTU-816215-A	RTU-141447.5-A	RTU-1619410-A
RTU-708103-A	RTU-808110-A-LS	RTU-81217.5-A-LS	RTU-816215-A-LS	RTU-141447.5-A-LS	RTU-1619410-A-LS
RTU-708103-A-LS	RTU-808110-A-SLS	RTU-81217.5-A-SLS	RTU-816215-A-SLS	RTU-141447.5-A-SLS	RTU-1619410-A-SLS
RTU-708103-A-SLS	RTU-808115-A	RTU-812110-A		RTU-1414410-A	RTU-1619415-A
RTU-708105-A	RTU-808115-A-LS	RTU-812110-A-LS		RTU-1414410-A-LS	RTU-1619415-A-LS
RTU-708105-A-LS	RTU-808115-A-SLS	RTU-812110-A-SLS		RTU-1414410-A-SLS	RTU-1619415-A-SLS
RTU-708105-A-SLS		RTU-812115-A			RTU-1619420-A
RTU-70817.5-A		RTU-812115-A-LS			RTU-1619420-A-LS
RTU-70817.5-A-LS		RTU-812115-A-SLS			RTU-1619420-A-SLS
RTU-70817.5-A-SLS		RTU-812120-A			
RTU-708110-A		RTU-812120-A-LS			
RTU-708110-A-LS		RTU-812120-A-SLS			
RTU-708110-A-SLS		RTU-812125-A			
RTU-708115-A		RTU-812125-A-LS			
RTU-708115-A-LS		RTU-812125-A-SLS			
RTU-708115-A-SLS					

RT Series Units Concluded



COOLING TECHNOLOGY INSTITUTE

P. O. Box 681807, Houston, Texas 77268 • 3845 Cypress Creek Parkway, Ste 420, Houston, Texas 77068
Phone: 281.583.4087 • Fax: 281.537.1721 • email: vmanser@cti.org • http://www.cti.org

Reymosa Cooling Towers, Inc.
(Div. Fabrica Mexicana De Torres, S. A.)
RT Series of CTI Certified Cooling Towers
CTI Certification Validation Number C22G-13R04
July 17, 2017 (Revision 4)

Footnotes:

1. RT models are single units with 1, 2 or 4 fans/unit and 4 air inlet faces/unit. RTG models are single-fan with gear drive.
2. RTM models are modular units intended to be mounted adjacent to each other. RTGM models are single fan with gear drive.
 - _T1 indicates number of T1 type modules with 2 air inlets on long sides of unit (-S orientation)
or 3 air inlets on 2 long sides and 1 short side of unit (-S orientation)
or 3 air inlets on 1 long side and 2 short sides of unit (-L orientation)
 - _T2 indicates number of T2 type modules with 2 air inlets on short sides of unit (-L orientation)
 - L inserted in model numbers indicates orientation with long axis of units are side-by-side
 - S inserted in model numbers indicates orientation with short axis of units are side-by-side
3. RTU models are reduced height units with 1, 2 or 4 fans/unit and 4 inlet faces/unit. All units have the –A fill configuration (note 4, below).
4. The -A, -B, -C, -D and –E in the model numbers above indicates the heat transfer fill configuration.
5. The -LS and -SLS in the model numbers above indicates the fan type configuration:
 - No suffix indicates standard fan
 - LS indicates low sound fan option
 - SLS indicates super low sound fan option
6. Certification includes units with water inlet configuration on side or end faces
7. Certification includes optional shaft-driven gear box with motor outside the air stream (suffix –OM)
8. Suffix -Y is added to the model number to indicate units that are not CTI certified due to tower installation locations, applications or modifications that affect thermal capacity.
9. No additional suffix is used for accessories or modifications that do not affect thermal capacity.
10. Sample RT model number: RT-714210-B-LS (a single unit)
 - Where: RT = Product series name, Single unit
 - 7 = Unit width
 - 14 = Unit length
 - 2 = Number of fans
 - 10 = Fan motor power
 - B = Fill configuration
 - LS = Fan type
11. Sample RTM model number: RTM-816215-D-1T1-2T2-1T1-L-SLS (a 4 module unit)
 - Where: RTM = Product series name, Modular unit
 - 8 = Unit width
 - 16 = Unit length
 - 2 = Number of fans
 - 15 = Fan motor power
 - D = Fill configuration
 - 1T1-2T2-1T1 = Type of modules and installation sequence = one T1 + two T2 + one T1 module
 - L = Orientation with long axis of units side-by-side
 - SLS = Fan type