

Laxun PL Selection R1

Condition Reference #	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27
Wet Bulb °C	10	10	10	10	10	13	13	13	13	13	16	16	16	16	16	18	18	18	18	18	18	21	21	21	21	24	24
Range °C	6	6	6	8	8	6	6	6	8	8	6	6	6	8	8	6	6	6	8	8	6	6	6	8	8	6	6
Approach °C	4	6	7	4	7	4	6	7	4	7	4	6	7	4	7	4	6	7	4	7	4	6	7	4	7	4	6
Inlet Water Temperature °C	20	22	23	22	25	23	25	26	25	28	26	28	29	28	31	28	30	31	30	33	31	33	34	33	36	34	36
Outlet Water Temperature °C	14	16	17	14	17	17	19	20	17	20	20	22	23	20	23	22	24	25	22	25	25	27	28	25	28	28	30
PL-11270C	2.49	3.61	4.13	1.54	2.92	3.73	5.15	5.77	2.70	4.46	4.83	6.63	7.46	3.75	5.91	5.67	7.97	8.79	4.57	7.08	6.86	9.34	10.65	5.62	8.54	7.89	10.78
PL-14310C	3.43	4.97	5.69	2.12	4.02	5.14	7.09	7.96	3.71	6.14	6.65	9.14	10.27	5.17	8.15	7.81	10.98	12.11	6.29	9.75	9.45	12.87	14.67	7.74	11.77	10.87	14.85
PL-16340C	4.71	6.81	7.80	2.91	5.52	7.05	9.73	10.91	5.09	8.42	9.11	12.52	14.08	7.08	11.17	10.70	15.06	16.60	8.63	13.37	12.95	17.64	20.12	10.62	16.14	14.91	20.36
PL-18360C	5.65	8.17	9.36	3.49	6.62	8.45	11.67	13.09	6.11	10.10	10.94	15.03	16.90	8.50	13.40	12.84	18.07	19.92	10.35	16.04	15.54	21.17	24.14	12.74	19.37	17.89	24.43
PL-18360L	6.26	9.06	10.37	3.86	7.33	9.37	12.93	14.50	6.77	11.19	12.12	16.65	18.72	9.41	14.85	14.23	20.02	22.06	11.47	17.77	17.22	23.45	26.74	14.11	21.45	19.82	27.06
PL-21360C	7.20	10.42	11.93	4.45	8.44	10.78	14.88	16.68	7.79	12.87	13.94	19.15	21.54	10.83	17.08	16.37	23.03	25.38	13.19	20.45	19.81	26.98	30.77	16.24	24.68	22.80	31.13
PL-21360L	7.81	11.30	12.94	4.82	9.15	11.69	16.13	18.09	8.45	13.96	15.12	20.78	23.36	11.75	18.53	17.76	24.98	27.53	14.31	22.18	21.49	29.26	33.37	17.61	26.77	24.73	33.77
PL-11271C	2.66	3.85	4.41	1.64	3.11	3.98	5.49	6.16	2.88	4.75	5.15	7.07	7.95	4.00	6.31	6.04	8.50	9.37	4.87	7.55	7.32	9.96	11.36	6.00	9.11	8.42	11.50
PL-11271L	3.16	4.57	5.23	1.95	3.70	4.72	6.52	7.31	3.42	5.64	6.11	8.40	9.44	4.75	7.49	7.18	10.10	11.13	5.78	8.97	8.69	11.83	13.49	7.12	10.82	10.00	13.65
PL-11271P	3.43	4.97	5.69	2.12	4.02	5.14	7.09	7.96	3.71	6.14	6.65	9.14	10.27	5.17	8.15	7.81	10.98	12.11	6.29	9.75	9.45	12.87	14.67	7.74	11.77	10.87	14.85
PL-11271H	3.77	5.45	6.24	2.33	4.41	5.64	7.78	8.73	4.07	6.73	7.29	10.02	11.27	5.67	8.94	8.56	12.05	13.28	6.90	10.70	10.36	14.11	16.09	8.49	12.91	11.93	16.29
PL-11272C	2.82	4.09	4.68	1.74	3.31	4.23	5.84	6.54	3.06	5.05	5.47	7.51	8.45	4.25	6.70	6.42	9.04	9.96	5.18	8.02	7.77	10.58	12.07	6.37	9.68	8.95	12.21
PL-11272L	3.49	5.05	5.78	2.15	4.09	5.22	7.21	8.08	3.77	6.24	6.76	9.28	10.44	5.25	8.28	7.93	11.16	12.30	6.39	9.91	9.60	13.07	14.91	7.87	11.96	11.05	15.09
PL-11272P	3.77	5.45	6.24	2.33	4.41	5.64	7.78	8.73	4.07	6.73	7.29	10.02	11.27	5.67	8.94	8.56	12.05	13.28	6.90	10.70	10.36	14.11	16.09	8.49	12.91	11.93	16.29
PL-11272H	4.04	5.85	6.70	2.50	4.74	6.05	8.35	9.37	4.37	7.23	7.83	10.76	12.10	6.08	9.59	9.19	12.93	14.25	7.41	11.48	11.13	15.15	17.28	9.12	13.86	12.80	17.48
PL-14311C	3.10	4.49	5.14	1.92	3.63	4.64	6.41	7.19	3.36	5.54	6.00	8.25	9.28	4.67	7.36	7.05	9.92	10.93	5.68	8.81	8.53	11.62	13.25	6.99	10.63	9.82	13.41
PL-14311L	3.77	5.45	6.24	2.33	4.41	5.64	7.78	8.73	4.07	6.73	7.29	10.02	11.27	5.67	8.94	8.56	12.05	13.28	6.90	10.70	10.36	14.11	16.09	8.49	12.91	11.93	16.29
PL-14311P	4.15	6.01	6.89	2.57	4.87	6.22	8.58	9.62	4.49	7.43	8.04	11.05	12.43	6.25	9.86	9.44	13.29	14.64	7.61	11.80	11.43	15.56	17.75	9.37	14.24	13.15	17.96
PL-14311H	4.43	6.41	7.34	2.74	5.19	6.63	9.15	10.27	4.79	7.92	8.58	11.79	13.25	6.67	10.51	10.07	14.17	15.62	8.12	12.58	12.19	16.60	18.93	9.99	15.19	14.03	19.16
PL-14312C	4.04	5.85	6.70	2.50	4.74	6.05	8.35	9.37	4.37	7.23	7.83	10.76	12.10	6.08	9.59	9.19	12.93	14.25	7.41	11.48	11.13	15.15	17.28	9.12	13.86	12.80	17.48
PL-14312L	4.43	6.41	7.34	2.74	5.19	6.63	9.15	10.27	4.79	7.92	8.58	11.79	13.25	6.67	10.51	10.07	14.17	15.62	8.12	12.58	12.19	16.60	18.93	9.99	15.19	14.03	19.16
PL-14312P	4.76	6.89	7.89	2.94	5.58	7.13	9.84	11.04	5.15	8.51	9.22	12.67	14.25	7.17	11.30	10.83	15.24	16.79	8.73	13.53	13.11	17.85	20.35	10.74	16.33	15.08	20.60
PL-14312H	5.15	7.45	8.54	3.18	6.03	7.71	10.64	11.93	5.57	9.21	9.97	13.70	15.41	7.75	12.22	11.71	16.48	18.16	9.44	14.63	14.17	19.30	22.01	11.62	17.66	16.31	22.27
PL-16341C	4.54	6.57	7.53	2.80	5.32	6.80	9.38	10.52	4.91	8.12	8.79	12.08	13.59	6.83	10.77	10.33	14.53	16.01	8.32	12.90	12.50	17.02	19.41	10.24	15.57	14.38	19.64
PL-16341L	4.98	7.21	8.26	3.08	5.84	7.46	10.30	11.55	5.39	8.91	9.65	13.26	14.91	7.50	11.83	11.33	15.95	17.57	9.13	14.16	13.72	18.68	21.30	11.24	17.09	15.79	21.55
PL-16341P	5.37	7.77	8.90	3.32	6.29	8.04	11.10	12.45	5.81	9.60	10.40	14.29	16.07	8.08	12.75	12.22	17.19	18.94	9.84	15.26	14.78	20.13	22.96	12.12	18.42	17.01	23.23
PL-16341H	5.92	8.58	9.82	3.66	6.94	8.87	12.24	13.73	6.41	10.59	11.47	15.77	17.73	8.91	14.06	13.47	18.96	20.89	10.86	16.83	16.31	22.20	25.32	13.37	20.31	18.77	25.63
PL-16342C	4.76	6.89	7.89	2.94	5.58	7.13	9.84	11.04	5.15	8.51	9.22	12.67	14.25	7.17	11.30	10.83	15.24	16.79	8.73	13.53	13.11	17.85	20.35	10.74	16.33	15.08	20.60
PL-16342L	5.15	7.45	8.54	3.18	6.03	7.71	10.64	11.93	5.57	9.21	9.97	13.70	15.41	7.75	12.22	11.71	16.48	18.16	9.44	14.63	14.17	19.30	22.01	11.62	17.66	16.31	22.27
PL-16342P	5.54	8.01	9.18	3.42	6.49	8.29	11.44	12.83	5.99	9.90	10.72	14.73	16.57	8.33	13.14	12.59	17.72	19.53	10.15	15.73	15.24	20.75	23.67	12.49	18.99	17.54	23.95
PL-16342H	6.09	8.82	10.10	3.76	7.14	9.12	12.59	14.11	6.59	10.89	11.80	16.21	18.23	9.16	14.45	13.85	19.49	21.48	11.16	17.30	16.76	22.83	26.03	13.74	20.88	19.29	26.34
PL-18361C	5.09	7.37	8.45	3.15	5.97	7.63	10.53	11.80	5.51	9.11	9.87	13.56	15.24	7.66	12.09	11.59	16.30	17.96	9.34	14.47	14.02	19.09	21.77	11.49	17.47	16.14	22.03
PL-18361L	5.54	8.01	9.18	3.42	6.49	8.29	11.44	12.83	5.99	9.90	10.72	14.73	16.57	8.33	13.14	12.59	17.72	19.53	10.15	15.73	15.24	20.75	23.67	12.49	18.99	17.54	23.95
PL-18361P	5.92	8.58	9.82	3.66	6.94	8.87	12.24	13.73	6.41	10.59	11.47	15.77	17.73	8.91	14.06	13.47	18.96	20.89	10.86	16.83	16.31	22.20	25.32	13.37	20.31	18.77	25.63
PL-18361H	6.42	9.30	10.65	3.97	7.53	9.61	13.27	14.88	6.95	11.48	12.44	17.09	19.22	9.66	15.24	14.61	20.55	22.65	11.77	18.25	17.68	24.07	27.45	14.49	22.02	20.35	27.78
PL-18362C	5.62	8.14	9.32	3.47	6.59	8.41	11.62	13.03	6.08	10.05	10.88	14.96	16.82	8.46	13.34	12.78	17.98	19.82	10.30	15.97	15.47	21.07	24.02	12.68	19.27	17.80	

Laxun PL Selection R1

Condition Reference #	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27
Wet Bulb °C	10	10	10	10	10	13	13	13	13	13	16	16	16	16	16	18	18	18	18	18	21	21	21	21	21	24	24
Range °C	6	6	6	8	8	6	6	6	8	8	6	6	6	8	8	6	6	6	8	8	6	6	6	8	8	6	6
Approach °C	4	6	7	4	7	4	6	7	4	7	4	6	7	4	7	4	6	7	4	7	4	6	7	4	7	4	6
Inlet Water Temperature °C	20	22	23	22	25	23	25	26	25	28	26	28	29	28	31	28	30	31	30	33	31	33	34	33	36	34	36
Outlet Water Temperature °C	14	16	17	14	17	17	19	20	17	20	20	22	23	20	23	22	24	25	22	25	25	27	28	25	28	28	30
PL-21364H	12.79	18.51	21.21	7.90	14.99	19.15	26.43	29.64	13.84	22.87	24.77	34.04	38.27	19.25	30.35	29.09	40.93	45.10	23.44	36.33	35.20	47.94	54.67	28.85	43.86	40.52	55.32
PL-24422CC	6.31	9.14	10.47	3.90	7.40	9.45	13.04	14.63	6.83	11.29	12.22	16.80	18.89	9.50	14.98	14.36	20.20	22.26	11.57	17.93	17.37	23.66	26.98	14.24	21.64	19.99	27.30
PL-24391C	5.98	8.66	9.91	3.69	7.01	8.95	12.36	13.86	6.47	10.69	11.58	15.91	17.89	9.00	14.19	13.60	19.13	21.09	10.96	16.99	16.46	22.41	25.56	13.49	20.50	18.94	25.86
PL-24362C	7.97	11.54	13.22	4.92	9.34	11.94	16.48	18.48	8.63	14.26	15.44	21.22	23.86	12.00	18.92	18.13	25.51	28.12	14.61	22.65	21.95	29.88	34.08	17.99	27.34	25.26	34.49
PL-24363C	8.91	12.90	14.78	5.51	10.45	13.34	18.42	20.66	9.65	15.94	17.26	23.72	26.68	13.41	21.16	20.27	28.52	31.44	16.34	25.32	24.54	33.41	38.10	20.11	30.57	28.24	38.56
PL-24363L	9.58	13.86	15.88	5.92	11.23	14.34	19.80	22.20	10.37	17.13	18.55	25.49	28.66	14.41	22.73	21.79	30.65	33.78	17.56	27.21	26.37	35.90	40.94	21.61	32.85	30.34	41.43
PL-24363P	10.24	14.83	16.98	6.33	12.00	15.33	21.17	23.74	11.08	18.32	19.84	27.26	30.65	15.41	24.31	23.30	32.78	36.12	18.78	29.10	28.19	38.39	43.78	23.11	35.12	32.45	44.31
PL-24363H	11.35	16.43	18.82	7.01	13.30	16.99	23.46	26.30	12.28	20.30	21.98	30.21	33.97	17.08	26.94	25.82	36.32	40.03	20.81	32.24	31.24	42.54	48.51	25.61	38.92	35.96	49.10
PL-24364C	10.08	14.59	16.71	6.22	11.81	15.09	20.83	23.35	10.90	18.02	19.52	26.82	30.15	15.16	23.91	22.92	32.25	35.54	18.47	28.63	27.74	37.77	43.07	22.73	34.55	31.92	43.59
PL-24364L	10.96	15.87	18.18	6.77	12.85	16.41	22.66	25.41	11.86	19.60	21.23	29.17	32.81	16.50	26.02	24.93	35.08	38.66	20.09	31.14	30.18	41.09	46.86	24.73	37.59	34.73	47.42
PL-24364P	11.74	16.99	19.46	7.25	13.76	17.57	24.26	27.20	12.70	20.99	22.73	31.24	35.13	17.66	27.86	26.70	37.56	41.39	21.52	33.34	32.31	43.99	50.17	26.48	40.25	37.18	50.77
PL-24364H	13.34	19.31	22.12	8.24	15.64	19.98	27.58	30.92	14.44	23.86	25.84	35.51	39.93	20.08	31.67	30.35	42.70	47.06	24.46	37.91	36.73	50.01	57.03	30.10	45.76	42.27	57.72
PL-24394C	11.63	16.83	19.28	7.18	13.63	17.41	24.03	26.95	12.58	20.79	22.52	30.94	34.79	17.50	27.59	26.44	37.21	41.00	21.31	33.03	32.00	43.58	49.70	26.23	39.87	36.83	50.29
PL-24394L	12.51	18.11	20.75	7.73	14.66	18.73	25.86	29.00	13.54	22.37	24.23	33.30	37.44	18.83	29.70	28.46	40.04	44.13	22.94	35.55	34.44	46.90	53.48	28.23	42.91	39.64	54.12
PL-24394P	13.40	19.39	22.22	8.28	15.70	20.06	27.69	31.05	14.50	23.96	25.95	35.66	40.10	20.16	31.80	30.47	42.88	47.25	24.56	38.06	36.88	50.22	57.27	30.23	45.95	42.45	57.96
PL-24394H	14.84	21.48	24.60	9.17	17.39	22.21	30.67	34.39	16.06	26.53	28.74	39.49	44.40	22.33	35.22	33.75	47.48	52.33	27.20	42.15	40.84	55.61	63.42	33.48	50.88	47.01	64.18
PL-26452CC	7.86	11.38	13.04	4.86	9.21	11.77	16.25	18.22	8.51	14.06	15.23	20.92	23.53	11.83	18.66	17.88	25.16	27.73	14.41	22.33	21.64	29.47	33.61	17.74	26.96	24.91	34.01
PL-26421C	7.59	10.98	12.58	4.69	8.89	11.36	15.68	17.58	8.21	13.56	14.69	20.19	22.70	11.41	18.00	17.25	24.27	26.75	13.90	21.55	20.88	28.43	32.42	17.11	26.01	24.03	32.81
PL-26392C	9.47	13.70	15.70	5.85	11.10	14.17	19.57	21.94	10.25	16.93	18.34	25.20	28.33	14.25	22.47	21.53	30.30	33.39	17.35	26.90	26.06	35.48	40.47	21.36	32.47	29.99	40.95
PL-26393C	10.52	15.23	17.44	6.50	12.33	15.75	21.74	24.38	11.38	18.81	20.37	28.00	31.48	15.83	24.97	23.93	33.66	37.10	19.28	29.88	28.96	39.43	44.96	23.73	36.07	33.32	45.50
PL-26393L	11.13	16.11	18.45	6.87	13.04	16.66	23.00	25.79	12.04	19.90	21.55	29.62	33.30	16.75	26.41	25.31	35.61	39.25	20.40	31.61	30.63	41.71	47.57	25.11	38.16	35.25	48.14
PL-26393P	12.18	17.63	20.20	7.52	14.27	18.23	25.17	28.23	13.18	21.78	23.59	32.42	36.45	18.33	28.91	27.70	38.98	42.96	22.33	34.60	33.53	45.65	52.06	27.48	41.77	38.59	52.69
PL-26393H	13.57	19.64	22.49	8.38	15.90	20.31	28.04	31.44	14.62	24.26	26.27	36.10	40.59	20.41	32.19	30.85	43.41	47.84	24.86	38.54	37.34	50.84	57.98	30.60	46.52	42.97	58.68
PL-26394C	12.57	18.19	20.84	7.76	14.73	18.82	25.98	29.13	13.60	22.47	24.34	33.45	37.61	18.91	29.83	28.59	40.22	44.32	23.04	35.70	34.59	47.11	53.72	28.35	43.10	39.81	54.36
PL-26394L	13.84	20.04	22.95	8.55	16.22	20.72	28.61	32.08	14.98	24.75	26.81	36.84	41.42	20.83	32.85	31.48	44.29	48.81	25.37	39.32	38.10	51.88	59.16	31.23	47.46	43.85	59.87
PL-26394P	15.28	22.12	25.34	9.44	17.91	22.88	31.58	35.41	16.54	27.32	29.60	40.67	45.73	22.99	36.27	34.76	48.90	53.89	28.01	43.41	42.06	57.27	65.32	34.48	52.40	48.41	66.10
PL-26394H	16.78	24.28	27.82	10.36	19.66	25.11	34.67	38.88	18.15	30.00	32.49	44.64	50.20	25.24	39.81	38.16	53.68	59.16	30.75	47.66	46.18	62.88	71.71	37.85	57.53	53.14	72.57
PL-28452CC	9.52	13.78	15.79	5.88	11.16	14.26	19.68	22.07	10.31	17.03	18.44	25.34	28.50	14.33	22.60	21.66	30.47	33.58	17.46	27.05	26.21	35.69	40.71	21.48	32.66	30.17	41.19
PL-28451C	9.14	13.22	15.15	5.64	10.71	13.68	18.88	21.17	9.89	16.34	17.69	24.31	27.34	13.75	21.68	20.78	29.23	32.22	16.75	25.95	25.15	34.24	39.05	20.61	31.33	28.94	39.52
PL-28392C	11.24	16.27	18.64	6.94	13.17	16.83	23.23	26.05	12.16	20.10	21.77	29.91	33.63	16.91	26.67	25.56	35.97	39.64	20.60	31.93	30.94	42.13	48.04	25.36	38.54	35.60	48.62
PL-28393C	12.74	18.43	21.11	7.87	14.92	19.06	26.32	29.51	13.78	22.77	24.66	33.89	38.11	19.16	30.22	28.96	40.75	44.91	23.34	36.18	35.05	47.73	54.43	28.73	43.67	40.34	55.08
PL-28393L	13.51	19.55	22.40	8.34	15.83	20.22	27.92	31.31	14.62	24.16	26.16	35.95	40.43	20.33	32.06	30.73	43.23	47.64	24.76	38.38	37.19	50.63	57.74	30.48	46.33	42.80	58.44
PL-28393P	15.06	21.80	24.97	9.30	17.65	22.54	31.12	34.90	16.30	26.93	29.17	40.08	45.07	22.66	35.74	34.25	48.19	53.11	27.61	42.78	41.45	56.44	64.37	33.98	51.64	47.71	65.14
PL-28393H	16.61	24.04	27.54	10.26	19.47	24.87	34.33	38.49	17.97	29.70	32.17	44.20	49.71	24.99	39.42	37.78	53.15	58.58	30.45	47.19	45.72	62.25	71.00	37.47	56.96	52.62	71.85
PL-28423C	13.18	19.07	21.85	8.14	15.44	19.73	27.23	30.54	14.26	23.56	25.52	35.07	39.43	19.83	31.27	29.97	42.17										

Laxun PL Selection R1

Condition Reference #	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27
Wet Bulb °C	10	10	10	10	10	13	13	13	13	13	16	16	16	16	16	18	18	18	18	18	18	21	21	21	21	24	24
Range °C	6	6	6	8	8	6	6	6	8	8	6	6	6	8	8	6	6	6	8	8	6	6	6	8	8	6	6
Approach °C	4	6	7	4	7	4	6	7	4	7	4	6	7	4	7	4	6	7	4	7	4	6	7	4	7	4	6
Inlet Water Temperature °C	20	22	23	22	25	23	25	26	25	28	26	28	29	28	31	28	30	31	30	33	31	33	34	33	36	34	36
Outlet Water Temperature °C	14	16	17	14	17	17	19	20	17	20	20	22	23	20	23	22	24	25	22	25	27	28	25	28	28	28	30
PL-32465C	20.38	29.49	33.78	12.59	23.88	30.50	42.11	47.22	22.05	36.43	39.46	54.22	60.97	30.66	48.36	46.34	65.20	71.85	37.35	57.88	56.08	76.37	87.09	45.97	69.87	64.54	88.13
PL-32465L	22.54	32.62	37.36	13.92	26.41	33.73	46.57	52.22	24.39	40.29	43.64	59.97	67.43	33.91	53.48	51.25	72.11	79.47	41.31	64.02	62.03	84.46	96.32	50.84	77.27	71.39	97.47
PL-32465P	24.25	35.10	40.21	14.98	28.42	36.30	50.12	56.20	26.24	43.36	46.97	64.54	72.57	36.49	57.55	55.16	77.60	85.52	44.45	68.89	66.75	90.89	103.66	54.71	83.16	76.82	104.90
PL-32465H	25.36	36.71	42.04	15.66	29.72	37.96	52.41	58.77	27.44	45.34	49.11	67.48	75.88	38.16	60.18	57.68	81.14	89.43	46.48	72.04	69.80	95.04	108.39	57.21	86.95	80.33	109.69
PL-32522CC	14.12	20.44	23.41	8.72	16.55	21.14	29.18	32.72	15.28	25.25	27.34	37.57	42.25	21.25	33.51	32.11	45.18	49.79	25.88	40.11	38.86	52.92	60.35	31.85	48.41	44.73	61.07
PL-32521C	13.29	19.23	22.03	8.21	15.57	19.89	27.46	30.80	14.38	23.76	25.73	35.36	39.76	20.00	31.54	30.22	42.52	46.86	24.36	37.75	36.58	49.80	56.80	29.98	45.57	42.09	57.48
PL-34524C	20.76	30.05	34.43	12.83	24.33	31.08	42.91	48.12	22.47	37.13	40.21	55.25	62.13	31.24	49.28	47.22	66.44	73.22	38.06	58.98	57.15	77.82	88.75	46.84	71.20	65.77	89.81
PL-34524L	22.98	33.26	38.10	14.19	26.93	34.40	47.49	53.25	24.86	41.09	44.50	61.15	68.76	34.58	54.53	52.26	73.53	81.03	42.12	65.27	63.25	86.12	98.21	51.84	78.79	72.79	99.39
PL-34524P	24.53	35.50	40.67	15.15	28.74	36.72	50.69	56.84	26.54	43.86	47.50	65.27	73.40	36.91	58.21	55.79	78.49	86.50	44.96	69.68	67.51	91.93	104.84	55.34	84.11	77.70	106.09
PL-34524H	25.75	37.27	42.69	15.90	30.17	38.54	53.21	59.67	27.86	46.04	49.86	68.51	77.04	38.74	61.10	58.56	82.38	90.79	47.19	73.14	70.87	96.49	110.05	58.08	88.28	81.56	111.36
PL-34525C	24.14	34.94	40.02	14.91	28.29	36.14	49.89	55.95	26.12	43.16	46.75	64.24	72.24	36.33	57.29	54.90	77.25	85.13	44.25	68.58	66.45	90.48	103.18	54.46	82.78	76.47	104.42
PL-34525L	26.02	37.67	43.15	16.07	30.50	38.96	53.78	60.31	28.16	46.53	50.40	69.25	77.87	39.16	61.76	59.19	83.27	91.77	47.70	73.92	71.63	97.53	111.23	58.71	89.23	82.44	112.56
PL-34525P	27.30	39.51	45.26	16.86	31.99	40.86	56.41	63.26	29.54	48.81	52.86	72.64	81.68	41.07	64.78	62.08	87.35	96.26	50.03	77.54	75.13	102.30	116.67	61.58	93.60	86.47	118.07
PL-34525H	28.35	41.03	47.00	17.51	33.22	42.44	58.59	65.70	30.68	50.69	54.90	75.44	84.83	42.66	67.28	64.48	90.71	99.97	51.96	80.53	78.03	106.25	121.17	63.95	97.21	89.80	122.62
PL-36583CC	15.61	22.60	25.89	9.64	18.30	23.37	32.27	36.18	16.90	27.92	30.24	41.55	46.72	23.49	37.05	35.51	49.96	55.06	28.62	44.35	42.98	58.52	66.74	35.22	53.54	49.46	67.54
PL-36521C	15.17	21.96	25.15	9.37	17.78	22.71	31.35	35.16	16.42	27.13	29.38	40.37	45.40	22.83	36.00	34.50	48.54	53.50	27.81	43.10	41.76	56.86	64.84	34.23	52.02	48.06	65.62
PL-36523C	18.94	27.41	31.40	11.70	22.19	28.35	39.13	43.88	20.49	33.86	36.67	50.39	56.66	28.49	44.94	43.07	60.59	66.78	34.71	53.79	52.12	70.97	80.94	42.72	64.93	59.98	81.91
PL-36524C	23.53	34.06	39.02	14.54	27.58	35.23	48.63	54.53	25.46	42.08	45.57	62.62	70.42	35.41	55.85	53.52	75.30	82.98	43.13	66.85	64.77	88.19	100.58	53.09	80.69	74.54	101.78
PL-36524L	25.19	36.47	41.77	15.56	29.52	37.71	52.07	58.38	27.26	45.05	48.79	67.04	75.39	37.91	59.79	57.30	80.61	88.84	46.18	71.57	69.34	94.42	107.68	56.83	86.39	79.80	108.97
PL-36524P	26.47	38.31	43.88	16.35	31.02	39.62	54.70	61.33	28.64	47.32	51.26	70.43	79.20	39.82	62.81	60.19	84.69	93.33	48.51	75.18	72.85	99.19	113.12	59.71	90.75	83.84	114.48
PL-36524H	27.69	40.07	45.90	17.10	32.44	41.44	57.21	64.16	29.96	50.50	53.61	73.67	82.84	41.66	65.70	62.96	88.59	97.63	50.74	78.64	76.20	103.76	118.33	62.45	94.93	87.70	119.75
PL-36525C	25.03	36.22	41.49	15.46	29.33	37.46	51.72	58.00	27.08	44.75	48.47	66.60	74.89	37.66	59.39	56.92	80.08	88.26	45.87	71.09	68.88	93.80	106.97	56.46	85.82	79.28	108.25
PL-36525L	27.02	39.11	44.80	16.69	31.66	40.45	55.84	62.62	29.24	48.31	52.33	71.90	80.89	40.66	64.12	61.45	86.46	95.29	49.53	76.76	74.37	101.27	115.49	60.96	92.65	85.59	116.87
PL-36525P	28.24	40.87	46.82	17.44	33.09	42.27	58.36	65.44	30.56	50.49	54.69	75.14	84.50	42.49	67.01	64.22	90.36	99.58	51.76	80.22	77.72	105.83	120.70	63.70	96.83	89.45	122.14
PL-36525H	29.07	42.07	48.19	17.96	34.06	43.51	60.07	67.36	31.46	51.97	56.30	77.35	86.98	43.74	68.98	66.11	93.01	102.51	53.28	82.57	80.01	108.95	124.24	65.58	99.67	92.08	125.73
PL-36526C	26.58	38.47	44.06	16.42	31.15	39.79	54.93	61.59	28.76	47.52	51.47	70.72	79.53	39.99	63.07	60.45	85.04	93.72	48.71	75.50	73.15	99.61	113.60	59.96	91.13	84.19	114.96
PL-36526L	28.68	41.51	47.55	17.72	33.61	42.93	59.27	66.47	31.04	51.28	55.54	76.32	85.83	43.16	68.07	65.23	91.77	101.14	52.87	81.47	78.94	107.49	122.59	64.70	98.35	90.85	124.06
PL-36526P	29.90	43.28	49.57	18.47	35.04	44.76	61.79	69.29	32.35	53.46	57.90	79.57	89.47	44.99	70.96	68.00	95.67	105.44	54.80	84.93	82.30	112.06	127.79	67.45	102.52	94.71	129.32
PL-36526H	31.28	45.28	51.87	19.32	36.66	46.83	64.65	72.50	33.85	55.93	60.58	83.25	93.61	47.07	74.24	71.15	100.10	110.32	57.34	88.87	86.11	117.25	133.71	70.57	107.27	99.10	135.31
PL-36585C	29.40	42.56	48.75	18.16	34.45	44.01	60.76	68.13	31.81	52.57	56.94	78.24	87.98	44.24	69.77	66.87	94.08	103.68	53.89	83.52	80.92	110.19	125.66	66.33	100.81	93.13	127.17
PL-36585L	31.56	45.68	52.33	19.49	36.98	47.24	65.22	73.14	34.15	56.43	61.12	83.99	94.44	47.49	74.90	71.78	100.99	111.30	57.85	89.65	86.87	118.28	134.89	71.20	108.22	99.97	136.51
PL-36585P	32.78	47.44	54.35	20.25	38.41	49.07	67.74	75.96	35.47	58.61	63.48	87.23	98.09	49.32	77.79	74.55	104.89	115.59	60.08	93.11	90.22	122.85	140.10	73.95	112.40	103.83	141.78
PL-36585H	33.83	48.97	56.09	20.90	39.65	50.64	69.92	78.40	36.61	60.49	65.52	90.03	101.23	50.91	80.29	76.94	108.25	119.30	62.01	96.10	93.12	126.79	144.60	76.32	116.00	107.17	146.33
PL-36586C	31.01	44.88	51.41	19.15	36.34	46.42	64.08	71.86	33.55	55.44	60.05	82.51	92.78	46.66	73.58	70.52	99.22	109.34	56.83	88.08	85.34	116.21	132.53	69.95	106.32	98.22	134.11
PL-36586L	33.44	48.41	55.45	20.66																							

Laxun PL Selection R1

Condition Reference #	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27
Wet Bulb °C	10	10	10	10	10	13	13	13	13	13	16	16	16	16	16	18	18	18	18	18	18	21	21	21	21	24	24
Range °C	6	6	6	8	8	6	6	6	8	8	6	6	6	8	8	6	6	6	8	8	6	6	6	8	8	6	6
Approach °C	4	6	7	4	7	4	6	7	4	7	4	6	7	4	7	4	6	7	4	7	4	6	7	4	7	4	6
Inlet Water Temperature °C	20	22	23	22	25	23	25	26	25	28	26	28	29	28	31	28	30	31	30	33	31	33	34	33	36	34	36
Outlet Water Temperature °C	14	16	17	14	17	17	19	20	17	20	20	22	23	20	23	22	24	25	22	25	25	27	28	25	28	28	30
PL-39635C	32.12	46.48	53.24	19.84	37.63	48.07	66.37	74.42	34.75	57.42	62.19	85.46	96.10	48.32	76.21	73.04	102.76	113.25	58.86	91.23	88.39	120.36	137.26	72.45	110.12	101.73	138.90
PL-39635L	35.44	51.29	58.75	21.89	41.53	53.05	73.23	82.12	38.35	63.36	68.63	94.30	106.04	53.32	84.10	80.59	113.39	124.96	64.95	100.66	97.54	132.81	151.46	79.94	121.51	112.25	153.27
PL-39635P	37.87	54.82	62.79	23.39	44.38	56.69	78.27	87.77	40.98	67.72	73.34	100.78	113.33	56.99	89.88	86.13	121.19	133.56	69.42	107.58	104.24	141.94	161.87	85.44	129.86	119.97	163.81
PL-39635H	41.09	59.47	68.12	25.38	48.15	61.50	84.91	95.21	44.46	73.46	79.56	109.33	122.94	61.82	97.50	93.44	131.46	144.88	75.30	116.71	113.08	153.98	175.60	92.68	140.87	130.14	177.70
PL-39636C	35.16	50.89	58.30	21.72	41.20	52.63	72.66	81.48	38.05	62.87	68.09	93.57	105.21	52.91	83.44	79.97	112.51	123.99	64.45	99.88	96.78	131.78	150.29	79.32	120.56	111.38	152.08
PL-39636L	38.21	55.30	63.34	23.60	44.77	57.19	78.96	88.54	41.34	68.31	73.99	101.67	114.32	57.49	90.67	86.89	122.25	134.73	70.03	108.53	105.16	143.18	163.29	86.19	131.00	121.02	165.25
PL-39636P	40.81	59.07	67.66	25.21	47.82	61.09	84.33	94.57	44.16	72.96	79.03	108.59	122.11	61.40	96.84	92.81	130.58	143.90	74.80	115.92	112.32	152.94	174.42	92.06	139.92	129.27	176.50
PL-39636H	44.02	63.71	72.98	27.19	51.58	65.89	90.97	102.01	47.63	78.70	85.25	117.14	131.72	66.23	104.46	100.11	140.85	155.23	80.68	125.04	121.16	164.97	188.14	99.30	150.94	139.44	190.39
PL-41643CC	22.15	32.06	36.72	13.68	25.95	33.15	45.77	51.33	23.97	39.60	42.89	58.94	66.27	33.33	52.56	50.37	70.87	78.10	40.60	62.91	60.96	83.01	94.66	49.96	75.94	70.16	95.80
PL-41583C1	20.04	29.01	33.23	12.38	23.49	30.00	41.42	46.45	21.69	35.84	38.82	53.34	59.98	30.16	47.57	45.59	64.14	70.68	36.74	56.94	55.17	75.12	85.67	45.22	68.73	63.49	86.70
PL-41583C	25.25	36.55	41.86	15.60	29.59	37.80	52.18	58.51	27.32	45.14	48.90	67.19	75.55	37.99	59.92	57.42	80.79	80.04	46.28	71.72	69.49	94.63	107.92	56.96	86.57	79.98	109.21
PL-41584C	29.62	42.88	49.11	18.30	34.71	44.34	61.22	68.65	32.05	52.96	57.37	78.83	88.64	44.57	70.30	67.37	94.79	104.46	54.30	84.15	81.53	111.02	126.61	66.83	101.57	93.84	128.13
PL-41584L	31.84	46.08	52.78	19.66	37.31	47.66	65.80	73.78	34.45	56.92	61.66	84.72	95.27	47.91	75.55	72.41	101.87	112.27	58.36	90.44	87.63	119.32	136.08	71.82	109.17	100.85	137.71
PL-41584P	33.78	48.89	56.00	20.86	39.58	50.56	69.80	78.27	36.55	60.39	65.41	89.88	101.07	50.82	80.15	76.82	108.07	119.11	61.91	95.94	92.96	126.58	144.36	76.19	115.81	106.99	146.09
PL-41584H	37.54	54.33	62.24	23.19	43.99	56.19	77.58	86.99	40.62	67.12	72.70	99.89	112.33	56.49	89.09	85.38	120.12	132.38	68.81	106.64	103.32	140.69	160.45	84.69	128.72	118.91	162.37
PL-41585C	31.67	45.84	52.51	19.56	37.11	47.41	65.45	73.40	34.27	56.63	61.33	84.28	94.77	47.66	75.16	72.03	101.34	111.69	58.05	89.97	87.17	118.70	135.37	71.45	108.60	100.32	136.99
PL-41585L	33.94	49.13	56.27	20.96	39.77	50.81	70.14	78.66	36.73	60.69	65.73	90.32	101.56	51.07	80.55	77.19	108.61	119.69	62.21	96.42	93.42	127.21	145.07	76.57	116.38	107.52	146.81
PL-41585P	35.99	52.09	59.67	22.23	42.18	53.88	74.38	83.40	38.94	64.35	69.70	95.77	107.70	54.15	85.41	81.85	115.16	126.92	65.97	102.24	99.06	134.88	153.83	81.19	123.41	114.01	155.67
PL-41585H	39.92	57.78	66.19	24.66	46.78	59.76	82.50	92.51	43.20	71.38	77.31	106.23	119.46	60.07	94.74	90.79	127.74	140.78	73.17	113.40	109.88	149.62	170.63	90.06	136.89	126.46	172.67
PL-41586C	34.44	49.85	57.10	21.27	40.36	51.56	71.18	79.81	37.27	61.58	66.70	91.65	103.06	51.82	81.73	78.33	110.20	121.45	63.13	97.83	94.79	129.07	147.20	77.69	118.09	109.10	148.96
PL-41586L	36.71	53.13	60.86	22.67	43.02	54.95	75.87	85.07	39.72	65.64	71.09	97.69	109.85	55.24	87.12	83.49	117.46	129.45	67.29	104.28	101.04	137.58	156.90	82.81	125.87	116.29	158.78
PL-41586P	38.87	56.26	64.44	24.01	45.55	58.19	80.33	90.08	42.06	69.50	75.27	103.43	116.31	58.49	92.24	88.40	124.37	137.07	71.24	110.41	106.98	145.67	166.13	87.69	133.28	123.13	168.12
PL-41586H	42.91	62.11	71.14	26.50	50.29	64.24	88.68	99.44	46.43	76.72	83.10	114.19	128.41	64.57	101.83	97.31	151.32	163.65	78.65	121.90	118.11	160.82	183.41	96.80	147.14	135.93	185.60
PL-41634C	30.18	43.68	50.03	18.64	35.36	45.17	62.36	69.93	32.65	53.95	58.44	80.30	90.30	45.41	71.61	68.63	96.56	106.41	55.31	85.72	83.06	113.09	128.98	68.08	103.47	95.59	130.52
PL-41634L	32.12	46.48	53.24	19.84	37.63	48.07	66.37	74.42	34.75	57.42	62.19	85.46	96.10	48.32	76.21	73.04	102.76	113.25	58.86	91.23	88.39	120.36	137.26	72.45	110.12	101.73	138.90
PL-41634P	34.44	49.85	57.10	21.27	40.36	51.55	71.17	79.81	37.27	61.58	66.70	91.65	103.06	51.82	81.73	78.33	110.20	121.45	63.13	97.83	94.79	129.07	147.20	77.69	118.09	109.09	148.96
PL-41634H	38.21	55.30	63.34	23.60	44.77	57.19	78.96	88.54	41.34	68.31	73.99	101.67	114.32	57.49	90.67	86.89	122.25	134.73	70.03	108.53	105.16	143.18	163.29	86.19	131.00	121.02	165.25
PL-41635C	33.22	48.09	55.08	20.52	38.93	49.73	68.66	76.99	35.95	59.40	64.34	88.41	99.41	49.99	78.84	75.56	106.30	117.15	60.89	94.37	91.44	124.51	141.99	74.95	113.91	105.24	143.69
PL-41635L	35.71	51.69	59.21	22.06	41.85	53.46	73.81	82.76	38.64	63.86	69.16	95.04	106.87	53.74	84.75	81.22	114.28	125.94	65.46	101.45	98.30	133.85	152.64	80.57	122.46	113.13	154.47
PL-41635P	37.10	53.70	61.51	22.91	43.47	55.53	76.67	85.97	40.14	66.33	71.84	98.72	111.01	55.82	88.04	84.37	118.70	130.82	68.00	105.38	102.11	139.03	158.56	83.69	127.20	117.51	160.46
PL-41635H	41.53	60.11	68.85	25.65	48.66	62.16	85.82	96.24	44.94	74.25	80.42	110.51	124.26	62.49	98.55	94.45	132.88	146.44	76.12	117.96	114.30	155.63	177.49	93.68	142.39	131.54	179.62
PL-41636C	35.72	51.69	59.21	22.06	41.85	53.46	73.81	82.77	38.65	63.86	69.17	95.04	106.87	53.74	84.76	81.23	114.28	125.95	65.46	101.45	98.30	133.85	152.65	80.57	122.46	113.13	154.48
PL-41636L	38.87	56.26	64.44	24.01	45.55	58.19	80.33	90.08	42.06	69.50	75.27	103.43	116.31	58.49	92.24	88.40	124.37	137.07	71.25	110.41	106.98	145.68	166.13	87.69	133.28	123.13	168.12
PL-41636P	40.70	58.90	67.47	25.14	47.69	60.92	84.10	94.31	44.04	72.76	78.81	108.30	121.78	61.24	96.58												

Luxon PL Selection R1

Condition Reference #	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27
Wet Bulb °C	10	10	10	10	10	13	13	13	13	13	16	16	16	16	16	18	18	18	18	18	18	21	21	21	21	24	24
Range °C	6	6	6	8	8	6	6	6	8	8	6	6	6	8	8	6	6	6	8	8	6	6	6	8	8	6	6
Approach °C	4	6	7	4	7	4	6	7	4	7	4	6	7	4	7	4	6	7	4	7	4	6	7	4	7	4	6
Inlet Water Temperature °C	20	22	23	22	25	23	25	26	25	28	26	28	29	28	31	28	30	31	28	30	33	31	33	34	33	36	34
Outlet Water Temperature °C	14	16	17	14	17	17	19	20	17	20	20	22	23	20	23	22	24	25	22	25	25	27	28	25	28	28	
PL-44685L	41.92	60.67	69.49	25.89	49.12	62.74	86.62	97.13	45.35	74.94	81.17	111.54	125.42	63.07	99.47	95.33	134.12	147.81	76.83	119.06	115.37	157.09	179.15	94.56	143.72	132.77	181.29
PL-44685P	43.19	62.51	71.60	26.68	50.61	64.65	89.25	100.08	46.73	77.22	83.64	114.93	129.23	64.98	102.49	98.22	138.19	152.30	79.16	122.68	118.87	161.86	184.59	97.43	148.09	136.81	186.80
PL-44685H	46.79	67.72	77.57	28.90	54.83	70.04	96.69	108.42	50.63	83.65	90.61	124.50	140.00	70.40	111.03	106.41	149.71	164.99	85.76	132.91	128.78	175.35	199.97	105.55	160.43	148.21	202.37
PL-44686C	42.52	61.55	70.50	26.27	49.83	63.66	87.88	98.54	46.01	76.03	82.35	113.16	127.25	63.98	100.91	96.71	136.07	149.96	77.94	120.79	117.04	159.37	181.75	95.93	145.81	134.70	183.93
PL-44686L	44.46	64.35	73.71	27.46	52.10	66.56	91.89	103.04	48.11	79.50	86.10	118.32	133.04	66.90	105.51	101.12	142.27	156.79	81.50	126.30	122.38	166.63	190.03	100.30	152.45	140.84	192.31
PL-44686P	46.01	66.60	76.29	28.42	53.92	68.88	95.09	106.63	49.79	82.27	89.11	122.44	137.68	69.23	109.19	104.65	147.23	162.26	84.34	130.70	126.64	172.44	196.66	103.80	157.77	145.75	199.02
PL-44686H	49.56	71.73	82.16	30.61	58.07	74.18	102.41	114.84	53.62	88.60	95.97	131.87	148.29	74.57	117.60	112.70	158.57	174.75	90.83	140.77	136.40	185.72	211.81	111.79	169.92	156.98	214.34
PL-44724C	42.08	60.91	69.77	25.99	49.31	62.99	86.97	97.52	45.53	75.24	81.49	111.98	125.92	63.32	99.86	95.71	134.65	148.40	77.13	119.54	115.82	157.71	179.86	94.93	144.29	133.30	182.01
PL-44724L	43.85	63.47	72.71	27.09	51.39	65.65	90.63	101.62	47.45	78.41	84.93	116.70	131.22	65.98	104.07	99.73	140.32	154.64	80.38	124.57	120.70	164.35	187.43	98.93	150.37	138.91	189.68
PL-44724P	46.95	67.96	77.85	29.00	55.02	70.29	97.04	108.81	50.81	83.95	90.93	124.95	140.50	70.65	111.43	106.79	150.24	165.58	86.06	133.38	129.24	175.97	200.69	105.92	161.00	148.73	203.09
PL-44724H	49.06	71.01	81.33	30.30	57.49	73.44	101.38	113.69	53.08	87.71	95.00	130.55	146.80	73.82	116.42	111.57	156.97	173.00	89.92	139.36	135.03	183.86	209.68	110.67	168.21	155.40	212.19
PL-44725C	44.52	64.43	73.81	27.50	52.17	66.64	92.00	103.16	48.17	79.60	86.21	118.46	133.21	66.98	105.65	101.25	142.45	156.99	81.60	126.46	122.53	166.84	190.27	100.43	152.65	141.02	192.55
PL-44725L	46.12	66.76	76.47	28.49	54.05	69.04	95.32	106.89	49.91	82.47	89.32	122.74	138.02	69.40	109.46	104.90	147.58	162.65	84.54	131.02	126.95	172.86	197.14	104.05	158.15	146.10	199.50
PL-44725P	50.11	72.53	83.08	30.95	58.72	75.01	103.56	116.12	54.22	89.67	97.04	133.35	149.95	75.40	118.92	113.96	160.34	176.71	91.85	142.34	137.92	187.80	214.17	113.04	171.82	158.73	216.74
PL-44725H	52.10	75.41	86.38	32.18	61.06	78.00	107.68	120.74	56.38	93.16	100.90	138.65	155.91	78.40	123.65	118.50	166.72	183.74	95.50	148.01	143.41	195.27	222.69	117.54	178.66	165.05	225.36
PL-44726C	46.90	67.88	77.75	28.97	54.96	70.20	96.92	108.68	50.75	83.85	90.82	124.80	140.34	70.57	111.30	106.66	150.06	165.38	85.96	133.22	129.08	175.76	200.45	105.80	160.81	148.56	202.85
PL-44726L	48.51	70.21	80.42	29.96	56.84	72.61	100.24	112.40	52.48	86.72	93.93	129.07	145.14	72.98	115.11	110.31	155.20	171.05	88.90	137.78	133.50	181.78	207.31	109.42	166.31	153.64	209.79
PL-44726P	52.33	75.74	86.75	32.32	61.32	78.33	108.14	121.26	56.62	93.56	101.33	139.24	156.57	78.73	124.17	119.00	167.43	184.52	95.91	148.64	144.02	196.10	223.64	118.04	179.42	165.75	226.32
PL-44726H	54.82	79.34	90.88	33.86	64.24	82.06	113.28	127.03	59.32	98.01	106.16	145.87	164.03	82.48	130.09	124.67	175.40	193.30	100.47	155.71	150.88	205.44	234.29	123.66	187.96	173.64	237.10
PL-46684C	39.42	57.06	65.36	24.35	46.20	59.01	81.47	91.36	42.66	70.49	76.35	104.91	117.97	59.32	93.56	89.66	126.15	139.02	72.26	111.99	108.51	147.75	168.50	88.94	135.18	124.88	170.52
PL-46684L	41.14	59.55	68.21	25.41	48.21	61.58	85.02	95.34	44.52	73.56	79.67	109.48	123.10	61.90	97.63	95.56	131.64	145.08	75.41	116.86	113.23	154.17	175.84	92.81	141.06	130.32	177.94
PL-46684P	42.64	61.71	70.69	26.33	49.96	63.82	88.11	98.80	46.13	76.23	82.57	113.45	127.58	64.15	101.18	96.96	136.42	150.35	78.15	121.11	117.35	159.79	182.23	96.18	146.19	135.05	184.41
PL-46684H	45.74	66.20	75.83	28.25	53.60	68.46	94.52	105.99	49.49	81.77	88.57	121.71	136.86	68.82	108.54	104.02	146.34	161.28	83.83	129.92	125.88	171.41	195.48	103.18	156.82	144.88	197.82
PL-46685C	41.31	59.79	68.48	25.51	48.40	61.83	85.36	95.72	44.70	73.85	79.99	109.92	123.60	62.15	98.02	93.94	132.17	145.66	75.71	117.33	113.69	154.80	176.55	93.18	141.63	130.84	178.66
PL-46685L	43.30	62.67	71.79	26.74	50.74	64.82	89.48	100.34	46.85	77.42	83.85	115.22	129.57	65.15	102.75	98.48	138.55	152.69	79.36	123.00	119.18	162.28	185.06	97.68	148.47	137.16	189.23
PL-46685P	44.63	64.59	73.99	27.57	52.30	66.81	92.23	103.42	48.29	79.79	86.43	118.76	133.54	67.15	105.91	101.50	142.80	157.38	81.80	126.77	122.83	167.26	190.74	100.68	153.02	141.37	197.08
PL-46685H	48.28	69.88	80.05	29.82	56.58	72.28	99.78	111.89	52.24	86.33	93.50	128.48	144.48	72.65	114.58	109.81	154.49	170.26	88.50	137.15	132.89	180.95	206.36	108.92	165.55	152.94	208.83
PL-46686C	45.40	65.72	75.28	28.04	53.21	67.97	93.83	105.22	49.13	81.18	87.93	120.82	135.86	68.32	107.75	103.26	145.28	160.11	83.22	128.97	124.97	170.16	194.06	102.43	155.68	143.82	196.88
PL-46686L	46.51	67.32	77.11	28.73	54.50	69.62	96.12	107.78	50.33	83.16	90.07	123.77	139.18	69.98	110.38	105.78	148.82	164.02	85.25	132.12	128.02	174.31	198.79	104.92	159.48	147.33	201.17
PL-46686P	50.11	72.53	83.08	30.95	58.72	75.01	103.56	116.12	54.22	89.60	97.04	133.35	149.95	75.40	118.92	113.96	160.34	176.71	91.85	142.34	137.92	187.80	214.17	113.04	171.82	158.73	216.74
PL-46686H	50.94	73.73	84.46	31.46	59.69	76.25	105.27	118.05	55.12	91.08	98.65	135.55	152.43	76.65	120.89	115.85	163.00	179.64	93.37	144.70	140.21	190.91	217.72	114.92	174.67	161.36	220.33
PL-46725C	45.24	65.48	75.00	27.94	53.01	67.72	93.49	104.83	48.95	80.88	87.61	120.38	135.37	68.07	107.35	102.88	144.75	159.53	82.92	128.50	124.51	169.54	193.35	102.05	155.11	143.30	195.66
PL-46725L	47.18	68.28	78.21	29.14	55.28	70.62	97.49	109.32	51.05	84.35	91.36	125.54	141.17	70.98	111.95	107.29	150.95	166.36	86.47	134.01	129.85	176.80	201.63	106.42	161.76	149.44	204.05</

Laxun PL Selection R1

Condition Reference #	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27
Wet Bulb °C	10	10	10	10	10	13	13	13	13	13	16	16	16	16	16	18	18	18	18	18	21	21	21	21	21	24	24
Range °C	6	6	6	8	8	6	6	6	8	8	6	6	6	8	8	6	6	6	8	8	6	6	6	8	8	6	6
Approach °C	4	6	7	4	7	4	6	7	4	7	4	6	7	4	7	4	6	7	4	7	4	6	7	4	7	4	6
Inlet Water Temperature °C	20	22	23	22	25	23	25	26	25	28	26	28	29	28	31	28	30	31	30	33	31	33	34	33	36	34	36
Outlet Water Temperature °C	14	16	17	14	17	17	19	20	17	20	20	22	23	20	23	22	24	25	22	25	25	27	28	25	28	28	30
PL-47727L	59.03	85.43	97.86	36.46	69.17	88.36	121.98	136.78	63.87	105.53	114.31	157.07	176.62	88.81	140.07	134.24	188.86	208.14	108.19	167.67	162.46	221.21	252.28	133.15	202.39	186.97	255.30
PL-47727P	61.79	89.44	102.45	38.17	72.41	92.50	127.70	143.20	66.86	110.48	119.67	164.43	184.91	92.98	146.64	140.54	197.72	217.91	113.26	175.53	170.08	231.59	264.11	139.40	211.88	195.74	267.27
PL-51685C	46.18	66.84	76.56	28.52	54.11	69.13	95.43	107.01	49.97	82.57	89.43	122.88	138.18	69.48	109.59	105.02	147.76	162.84	84.64	131.18	127.10	173.07	197.37	104.17	158.34	146.28	199.73
PL-51685L	47.62	68.92	78.95	29.41	55.80	71.28	98.41	110.35	51.53	85.14	92.22	126.71	142.49	71.65	113.00	108.30	152.37	167.92	87.28	135.27	131.06	178.46	203.53	107.42	163.28	150.84	205.96
PL-51685P	51.38	74.37	85.19	31.74	60.21	76.92	106.19	119.08	55.60	91.87	99.51	136.73	153.76	77.32	121.94	116.86	164.42	181.20	94.18	145.96	141.43	192.57	219.62	115.92	176.19	162.77	222.25
PL-51686C	48.56	70.29	80.51	29.99	56.90	72.69	100.35	112.53	52.54	86.82	94.04	129.22	145.31	73.07	115.24	110.44	155.38	171.24	89.01	137.94	133.65	181.99	207.55	109.55	166.50	153.82	210.03
PL-51686L	50.17	72.61	83.17	30.99	58.79	75.09	103.67	116.25	54.28	89.69	97.15	133.49	150.11	75.48	119.05	114.09	160.52	176.90	91.95	142.50	138.07	188.01	214.41	113.17	172.01	158.91	216.98
PL-51686P	54.26	78.54	89.96	33.52	63.59	81.23	112.14	125.75	58.72	97.02	105.08	144.40	162.37	81.65	128.77	123.41	173.63	191.35	99.46	154.14	149.35	203.36	231.92	122.41	186.06	171.89	234.70
PL-51686H	56.70	82.07	94.00	35.02	66.44	84.87	117.17	131.39	61.35	101.38	109.80	150.88	169.66	85.31	134.55	128.95	181.42	199.94	103.92	161.06	156.06	212.49	242.34	127.91	194.41	179.60	245.24
PL-51687C	51.16	74.05	84.82	31.60	59.95	76.59	105.73	118.56	55.36	91.48	99.08	136.14	153.09	76.98	121.41	116.36	163.71	180.42	93.78	145.33	140.82	191.74	218.67	115.42	175.43	162.06	221.29
PL-51687L	52.88	76.54	87.67	32.66	61.97	79.16	109.28	122.54	57.22	94.55	102.40	140.71	158.23	79.57	125.49	120.26	169.20	186.47	96.92	150.21	145.54	198.18	226.01	119.29	181.31	167.50	228.71
PL-51687P	57.14	82.71	94.74	35.29	66.96	85.54	118.09	132.42	61.83	102.17	110.66	152.06	170.99	85.98	135.60	129.96	182.84	201.51	104.74	162.32	157.28	214.15	244.23	128.91	195.93	181.01	247.15
PL-51687H	59.80	86.55	99.14	36.94	70.08	89.52	123.58	138.58	64.71	106.92	115.81	159.13	178.94	89.98	141.91	136.00	191.35	210.88	109.61	169.87	164.59	224.12	255.59	134.90	205.05	189.43	258.65
PL-51726C	54.15	78.38	89.78	33.45	63.46	81.06	111.91	125.49	58.60	96.82	104.87	144.10	162.04	81.48	128.51	123.16	173.27	190.96	99.26	153.83	149.05	202.95	231.45	122.16	185.68	171.54	234.22
PL-51726L	58.53	84.71	97.03	36.15	68.58	87.61	120.95	135.63	63.33	104.64	113.34	155.74	175.13	88.06	138.89	133.11	187.27	206.39	107.27	166.25	161.09	219.34	250.15	132.03	200.68	185.39	253.14
PL-51726P	61.35	88.80	101.71	37.89	71.89	91.84	126.79	142.17	66.39	109.69	118.81	163.26	183.58	92.31	145.59	139.53	196.31	216.34	112.45	174.27	168.86	229.93	262.22	138.40	210.36	194.34	265.36
PL-51727C	56.64	81.99	93.91	34.99	66.38	84.79	117.06	131.27	61.29	101.28	109.69	150.73	169.50	85.23	134.42	128.82	181.25	199.75	103.82	160.90	155.91	212.29	242.10	127.78	194.22	179.43	245.00
PL-51727L	61.30	88.72	101.62	37.86	71.83	91.75	126.67	142.04	66.33	109.59	118.70	163.11	183.41	92.23	145.46	139.40	196.13	216.15	112.35	174.12	168.71	229.72	261.98	138.28	210.17	194.16	265.12
PL-52725C	52.66	76.22	87.30	32.52	61.71	78.82	108.82	122.03	56.98	94.15	101.97	140.12	157.57	79.23	124.96	119.76	168.49	185.69	96.52	149.58	144.93	197.35	225.06	118.79	180.55	166.80	227.76
PL-52725L	56.92	82.39	94.37	35.16	66.70	85.21	117.63	131.91	61.59	101.77	110.23	151.47	170.32	85.65	135.08	129.45	182.13	200.72	104.33	161.69	156.67	213.32	243.28	128.41	195.17	180.30	246.20
PL-52725P	59.52	86.15	98.69	36.77	69.75	89.10	123.01	137.94	64.41	106.43	115.27	158.39	178.11	89.56	141.26	135.37	190.46	209.90	109.10	169.08	163.83	223.08	254.41	134.28	204.10	188.55	257.45
PL-52725H	62.02	89.76	102.82	38.30	72.67	92.83	128.16	143.71	67.10	110.88	120.10	165.02	185.57	93.31	147.17	141.04	198.43	218.69	113.67	176.16	170.69	232.42	265.06	139.90	212.64	196.44	268.23
PL-52726C	54.93	79.50	91.07	33.93	64.37	82.22	113.51	127.29	59.43	98.21	106.37	146.16	164.36	82.65	130.35	124.92	175.75	193.70	100.68	156.03	151.18	205.85	234.76	123.91	188.34	173.99	237.57
PL-52726L	59.25	85.75	98.23	36.59	69.43	88.69	122.44	137.30	64.11	105.93	114.73	157.66	177.28	89.15	140.60	134.74	189.57	208.93	108.59	168.30	163.07	222.04	253.22	133.65	203.15	187.67	256.25
PL-52726P	62.85	90.96	104.19	38.82	73.65	94.08	129.88	145.64	68.00	112.37	121.70	167.23	188.05	94.56	149.14	142.93	201.09	221.62	115.19	178.52	172.97	235.53	268.61	141.77	215.49	199.07	271.82
PL-52726H	63.23	91.52	104.84	39.06	74.10	94.66	130.68	146.53	68.42	113.06	122.46	168.27	189.21	95.14	150.06	143.81	202.33	222.98	115.90	179.62	174.04	236.98	270.26	142.65	216.82	200.30	273.50
PL-52727C	57.86	83.75	95.93	35.74	67.81	86.62	119.58	134.09	62.61	103.46	112.05	153.97	173.14	87.06	137.31	131.59	185.14	204.04	106.06	164.36	159.26	216.85	247.31	130.53	198.40	183.29	250.27
PL-52727L	62.57	90.56	103.73	38.65	73.32	93.66	129.30	145.00	67.70	111.87	121.17	166.50	187.22	94.15	148.48	142.30	200.20	220.64	114.68	177.73	172.21	234.49	267.42	141.15	214.54	198.19	270.62
PL-56725C	54.04	78.22	89.60	33.38	63.33	80.90	111.68	125.23	58.48	96.62	104.66	143.81	161.71	81.31	128.25	122.91	172.92	190.57	99.05	153.51	148.74	202.53	230.98	121.91	185.30	171.18	233.74
PL-56725L	58.31	84.39	96.67	36.01	68.32	87.28	120.49	135.11	63.09	104.25	112.91	155.15	174.47	87.73	138.36	132.60	186.56	205.61	106.87	165.62	160.48	218.51	249.20	131.53	199.92	184.69	252.18
PL-56725P	61.19	88.56	101.44	37.79	71.70	91.59	126.44	141.79	66.21	109.40	118.49	162.81	183.08	92.06	145.20	139.15	195.77	215.76	112.15	173.80	168.40	229.30	261.51	138.03	209.79	193.81	264.64
PL-56725H	63.68	92.16	105.57	39.33	74.62	95.32	131.59	147.56	68.90	113.85	123.31	169.44	190.54	95.81	151.11	144.82	203.75	224.55	116.71	180.88	175.26	238.64	272.16	143.65	218.34	201.70	275.41
PL-56726C	56.53	81.83	93.73	34.92	66.25	84.63	116.83	131.01	61.17	101.08	109.48	150.44	169.17	85.06	134.16	12											

Laxun PL Selection R1

Condition Reference #	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49
Wet Bulb °C	24	24	24	27	27	27	27	27	29	29	29	29	29	32.2	32.2	32.2	32.2	32.2	21	25.56	27	28
Range °C	6	8	8	6	6	6	8	8	6	6	8	8	8	6	6	6	8	8	5	5.56	5	5
Approach °C	7	4	7	4	6	7	4	7	4	6	7	4	7	4	6	7	4	7	6	3.89	5	4
Inlet Water Temperature °C	37	36	39	37	39	40	39	42	39	41	42	41	44	42.2	44.2	45.2	44.2	47.2	32	35.00	37	37
Outlet Water Temperature °C	31	28	31	31	33	34	31	34	33	35	36	33	36	36.2	38.2	39.2	36.2	39.2	27	29.44	32	32
PL-11270C	12.18	6.62	10.18	9.07	12.44	13.80	7.70	11.69	9.89	13.60	15.34	8.48	12.75	11.18	15.32	17.23	9.70	14.30	10.20	8.54	12.50	11.06
PL-14310C	16.78	9.12	14.03	12.49	17.14	19.01	10.60	16.11	13.63	18.74	21.13	11.68	17.56	15.41	21.10	23.74	13.37	19.71	14.06	11.76	17.22	15.24
PL-16340C	23.00	12.50	19.23	17.13	23.50	26.06	14.54	22.09	18.68	25.70	28.97	16.01	24.08	21.12	28.93	32.55	18.33	27.02	19.27	16.13	23.61	20.89
PL-18360C	27.60	15.00	23.08	20.55	28.20	31.27	17.44	26.51	22.42	30.84	34.76	19.21	28.90	25.35	34.72	39.06	21.99	32.42	23.13	19.35	28.33	25.07
PL-18360L	30.58	16.62	25.57	22.77	31.25	34.65	19.32	29.37	24.83	34.16	38.51	21.28	32.01	28.08	38.46	43.28	24.36	35.92	25.62	21.44	31.39	27.78
PL-21360C	35.18	19.12	29.42	26.20	35.95	39.86	22.23	33.79	28.57	39.30	44.30	24.48	36.83	32.30	44.25	49.79	28.03	41.32	29.48	24.66	36.11	31.96
PL-21360L	38.15	20.74	31.91	28.41	38.99	43.23	24.11	36.64	30.99	42.63	48.05	26.56	39.94	35.04	47.99	54.00	30.40	44.82	31.97	26.75	39.17	34.66
PL-11271C	12.99	7.06	10.86	9.67	13.27	14.72	8.21	12.47	10.55	14.51	16.36	9.04	13.60	11.93	16.34	18.38	10.35	15.26	10.88	9.11	13.33	11.80
PL-11271L	15.42	8.38	12.90	11.49	15.76	17.48	9.75	14.81	12.53	17.23	19.43	10.74	16.15	14.16	19.40	21.83	12.29	18.12	12.93	10.81	15.83	14.01
PL-11271P	16.78	9.12	14.03	12.49	17.14	19.01	10.60	16.11	13.63	18.74	21.13	11.68	17.56	15.41	21.10	23.74	13.37	19.71	14.06	11.76	17.22	15.24
PL-11271H	18.40	10.00	15.39	13.70	18.80	20.85	11.63	17.67	14.94	20.56	23.17	12.81	19.26	16.90	23.15	26.04	14.66	21.62	15.42	12.90	18.89	16.72
PL-11272C	13.80	7.50	11.54	10.28	14.10	15.64	8.72	13.25	11.21	15.42	17.38	9.61	14.45	12.67	17.36	19.53	11.00	16.21	11.56	9.68	14.17	12.54
PL-11272L	17.05	9.27	14.26	12.70	17.42	19.32	10.77	16.37	13.85	19.05	21.47	11.87	17.85	15.65	21.44	24.13	13.58	20.03	14.29	11.95	17.50	15.49
PL-11272P	18.40	10.00	15.39	13.70	18.80	20.85	11.63	17.67	14.94	20.56	23.17	12.81	19.26	16.90	23.15	26.04	14.66	21.62	15.42	12.90	18.89	16.72
PL-11272H	19.75	10.74	16.52	14.71	20.19	22.38	12.48	18.97	16.04	22.07	24.88	13.75	20.68	18.14	24.85	27.96	15.74	23.21	16.55	13.85	20.28	17.94
PL-14311C	15.15	8.24	12.67	11.28	15.48	17.17	9.58	14.55	12.31	16.93	19.08	10.55	15.86	13.92	19.06	21.45	12.07	17.80	12.70	10.62	15.56	13.77
PL-14311L	18.40	10.00	15.39	13.70	18.80	20.85	11.63	17.67	14.94	20.56	23.17	12.81	19.26	16.90	23.15	26.04	14.66	21.62	15.42	12.90	18.89	16.72
PL-14311P	20.29	11.03	16.97	15.11	20.74	23.00	12.83	19.49	16.48	22.67	25.56	14.13	21.25	18.64	25.53	28.72	16.17	23.84	17.01	14.23	20.83	18.44
PL-14311H	21.65	11.77	18.10	16.12	22.12	24.53	13.68	20.79	17.58	24.19	27.26	15.07	22.66	19.88	27.23	30.64	17.25	25.43	18.14	15.18	22.22	19.67
PL-14312C	19.75	10.74	16.52	14.71	20.19	22.38	12.48	18.97	16.04	22.07	24.88	13.75	20.68	18.14	24.85	27.96	15.74	23.21	16.55	13.85	20.28	17.94
PL-14312L	21.65	11.77	18.10	16.12	22.12	24.53	13.68	20.79	17.58	24.19	27.26	15.07	22.66	19.88	27.23	30.64	17.25	25.43	18.14	15.18	22.22	19.67
PL-14312P	23.27	12.65	19.46	17.33	23.78	26.37	14.71	22.35	18.90	26.00	29.31	16.20	24.36	21.37	29.27	32.94	18.54	27.34	19.50	16.32	23.89	21.14
PL-14312H	25.17	13.68	21.04	18.74	25.72	28.51	15.90	24.17	20.44	28.12	31.69	17.52	26.35	23.11	31.66	35.62	20.05	29.56	21.09	17.64	25.83	22.86
PL-16341C	22.19	12.06	18.56	16.52	22.67	25.14	14.02	21.31	18.02	24.79	27.95	15.44	23.23	20.38	27.91	31.40	17.68	26.07	18.59	15.56	22.78	20.16
PL-16341L	24.35	13.24	20.37	18.14	24.89	27.59	15.39	23.39	19.78	27.21	30.67	16.95	25.50	22.36	30.63	34.47	19.40	28.61	20.41	17.07	25.00	22.12
PL-16341P	26.25	14.27	21.95	19.55	26.82	29.74	16.59	25.21	21.32	29.32	33.06	18.27	27.48	24.10	33.02	37.15	20.91	30.83	22.00	18.40	26.94	23.84
PL-16341H	28.95	15.74	24.21	21.56	29.59	32.81	18.30	27.81	23.51	32.35	36.47	20.15	30.41	26.59	36.42	40.98	23.07	34.01	24.26	20.30	29.72	26.30
PL-16342C	23.27	12.65	19.46	17.33	23.78	26.37	14.71	22.35	18.90	26.00	29.31	16.20	24.36	21.37	29.27	32.94	18.54	27.34	19.50	16.32	23.89	21.14
PL-16342L	25.17	13.68	21.04	18.74	25.72	28.51	15.90	24.17	20.44	28.12	31.69	17.52	26.35	23.11	31.66	35.62	20.05	29.56	21.09	17.64	25.83	22.86
PL-16342P	27.06	14.71	22.63	20.15	27.65	30.66	17.10	25.99	21.98	30.23	34.08	18.83	28.33	24.85	34.04	38.30	21.56	31.79	22.68	18.97	27.78	24.58
PL-16342H	29.77	16.18	24.89	22.17	30.42	33.73	18.81	28.59	24.17	33.25	37.49	20.72	31.16	27.33	37.44	42.13	23.72	34.97	24.94	20.87	30.56	27.04
PL-18361C	24.89	13.53	20.82	18.54	25.44	28.21	15.73	23.91	20.22	27.81	31.35	17.33	26.06	22.86	31.32	35.23	19.83	29.25	20.86	17.45	25.56	22.62
PL-18361L	27.06	14.71	22.63	20.15	27.65	30.66	17.10	25.99	21.98	30.23	34.08	18.83	28.33	24.85	34.04	38.30	21.56	31.79	22.68	18.97	27.78	24.58
PL-18361P	28.95	15.74	24.21	21.56	29.59	32.81	18.30	27.81	23.51	32.35	36.47	20.15	30.31	26.59	36.42	40.98	23.07	34.01	24.26	20.30	29.72	26.30
PL-18361H	31.39	17.06	26.25	23.38	32.08	35.57	19.84	30.15	25.49	35.07	39.53	21.85	32.86	28.82	39.48	44.42	25.01	36.87	26.30	22.01	32.22	28.52
PL-18362C	27.47	14.93	22.97	20.46	28.07	31.12	17.36	26.38	22.31	30.69	34.60	19.12	28.76	25.22	34.55	38.88	21.89	32.27	23.02	19.26	28.33	24.95
PL-18362L	29.63	16.11	24.78	22.07	30.28	33.58	18.73	28.46	24.07	33.11	37.32	20.63	31.02	27.21	37.28	41.94	23.61	34.81	24.83	20.78	30.56	26.92
PL-18362P	31.80	17.29	26.59	23.68	32.50	36.03	20.10	30.54	25.83	35.53	40.05	22.13	33.29	29.20	40.00	45.01	25.34	37.36	26.65	22.29	32.78	28.89
PL-18362H	35.44	19.26	29.64	26.39	36.22	40.16	22.40	34.04	28.78	39.60	44.64	24.67	37.10	32.55	44.58	50.16	28.24	41.63	29.70	24.85	36.11	32.20
PL-21361C	33.82	18.39	28.29	25.19	34.56	38.33	21.38	32.49	27.47	37.79	42.60	23.54	35.41	31.06	42.55	47.87	26.95	39.74	28.35	23.71	34.72	30.73
PL-21361L	36.80	20.00	30.77	27.41	37.61	41.70	23.26	35.34	29.89	41.11	46.35	25.61	38.53	33.79	46.29	52.08	29.32	43.23	30.84	25.80	37.78	33.43
PL-21361P	40.05	21.77	33.49	29.82	40.92	45.38	25.31	38.46	32.52	44.74	50.44	27.87	41.93	36.78	50.38	56.68	31.91	47.05	33.56	28.08	41.67	36.38
PL-21361H	43.57	23.68	36.43	32.44	44.52	49.36	27.53	41.84	35.38	48.67	54.87	30.32	45.61	40.01	54.80	61.66	34.71	51.18	36.51	30.54	44.72	39.58
PL-21362C	35.18	19.12	29.42	26.20	35.95	39.86	22.23	33.79	28.57	39.30	44.30	24.48	36.83	32.30	44.25	49.79	28.03	41.32	29.48	24.66	36.11	31.96
PL-21362L	38.15	20.74	31.91	28.41	38.99	43.23	24.11	36.64	30.99	42.63	48.05	26.56	39.94	35.04	47.99	54.00	30.40	44.82	31.97	26.75	39.17	34.66
PL-21362P	41.40	22.50	34.62	30.83	42.31	46.91	26.16	39.76	33.62	46.25	52.14	28.82	43.34	38.02	52.08	58.59	32.99	48.64	34.69	29.03	42.50	37.61
PL-21362H	46.00	25.00	38.47	34.26	47.01	52.12	29.07	44.18	37.36	51.39	57.94	32.02	48.16	42.24	57.86	65.11	36.65	54.04	38.55			

Laxun PL Selection R1

Condition Reference #	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49
Wet Bulb °C	24	24	24	27	27	27	27	27	29	29	29	29	29	32.2	32.2	32.2	32.2	32.2	21	25.56	27	28
Range °C	6	8	8	6	6	6	8	8	6	6	6	8	8	6	6	6	8	8	5	5.56	5	5
Approach °C	7	4	7	4	6	7	4	7	4	6	7	4	7	4	6	7	4	7	6	3.89	5	4
Inlet Water Temperature °C	37	36	39	37	39	40	39	42	39	41	42	41	44	42.2	44.2	45.2	44.2	47.2	32	35.00	37	37
Outlet Water Temperature °C	31	28	31	31	33	34	31	34	33	35	36	33	36	36.2	38.2	39.2	36.2	39.2	27	29.44	32	32
PL-21364H	62.51	33.98	52.27	46.55	63.87	70.82	39.50	60.03	50.77	69.83	78.72	43.51	65.44	57.40	78.63	88.47	49.80	73.43	52.38	43.82	64.17	56.78
PL-24422CC	30.85	16.77	25.80	22.97	31.52	34.95	19.49	29.63	25.05	34.46	38.85	21.47	32.29	28.33	38.80	43.66	24.58	36.24	25.85	21.63	31.67	28.02
PL-24391C	29.22	15.89	24.44	21.76	29.86	33.11	18.47	28.07	23.73	32.65	36.81	20.34	30.59	26.84	36.76	41.36	23.28	34.33	24.49	20.49	30.00	26.55
PL-24362C	38.97	21.18	32.59	29.02	39.82	44.15	24.62	37.42	31.65	43.53	49.08	27.12	40.79	35.78	49.01	55.15	31.05	45.77	32.65	27.32	40.00	35.40
PL-24363C	43.57	23.68	36.43	32.44	44.52	49.36	27.53	41.84	35.38	48.67	54.87	30.32	45.61	40.01	54.80	61.66	34.71	51.18	36.51	30.54	44.72	39.58
PL-24363L	46.81	25.45	39.15	34.86	47.84	53.04	29.58	44.96	38.02	52.30	58.96	32.58	49.01	42.99	58.89	66.25	37.30	54.99	39.23	32.82	48.06	42.53
PL-24363P	50.06	27.21	41.86	37.28	51.16	56.72	31.64	48.08	40.66	55.93	63.05	34.84	52.41	45.97	62.97	70.85	39.89	58.81	41.95	35.10	51.39	45.48
PL-24363H	55.47	30.15	46.39	41.31	56.69	62.85	35.06	53.28	45.05	61.97	69.86	38.61	58.07	50.94	69.78	78.51	44.20	65.17	46.49	38.89	56.94	50.39
PL-24364C	49.25	26.77	41.18	36.68	50.33	55.80	31.12	47.30	40.00	55.02	62.03	34.28	51.56	45.22	61.95	69.70	39.24	57.85	41.27	34.53	50.56	44.74
PL-24364L	53.58	29.12	44.80	39.90	54.75	60.71	33.86	51.46	43.51	59.86	67.48	37.29	56.09	49.20	67.40	75.83	42.69	62.94	44.90	37.56	55.00	48.67
PL-24364P	57.37	31.18	47.97	42.72	58.62	65.00	36.25	55.10	46.59	64.00	72.25	39.93	60.06	52.68	72.16	81.19	45.71	67.39	48.07	40.22	58.89	52.11
PL-24364H	65.21	35.45	54.53	48.56	66.64	73.89	41.21	62.63	52.96	72.86	82.13	45.39	68.27	59.89	82.03	92.30	51.96	76.61	54.65	45.72	66.94	59.24
PL-24394C	56.82	30.89	47.52	42.32	58.07	64.39	35.91	54.58	46.15	63.49	71.57	39.55	59.49	52.18	71.48	80.42	45.28	66.76	47.62	39.84	58.33	51.62
PL-24394L	61.15	33.24	51.14	45.54	62.49	69.29	38.65	58.73	49.67	68.32	77.02	42.56	64.02	56.16	76.93	86.55	48.72	71.84	51.25	42.87	62.78	55.56
PL-24394P	65.48	35.59	54.76	48.77	66.92	74.20	41.38	62.89	53.18	73.16	82.47	45.58	68.56	60.13	82.37	92.68	52.17	76.93	54.88	45.91	67.22	59.49
PL-24394H	72.52	39.42	60.64	54.01	74.11	82.17	45.83	69.65	58.90	81.02	91.33	50.47	75.92	66.59	91.22	102.64	57.78	85.19	60.77	50.84	74.44	65.88
PL-26452CC	38.42	20.89	32.13	28.62	39.27	43.54	24.28	36.90	31.21	42.93	48.39	26.74	40.23	35.28	48.33	54.38	30.61	45.14	32.20	26.94	39.44	34.91
PL-26421C	37.07	20.15	31.00	27.61	37.88	42.00	23.43	35.60	30.11	41.42	46.69	25.80	38.81	34.04	46.63	52.47	29.54	43.55	31.07	25.99	38.06	33.68
PL-26392C	46.27	25.15	38.69	34.46	47.28	52.43	29.24	44.44	37.58	51.70	58.28	32.21	48.44	42.49	58.21	65.49	36.87	54.36	38.78	32.44	47.50	42.04
PL-26393C	51.41	27.95	42.99	38.29	52.54	58.25	32.49	49.38	41.75	57.44	64.75	35.78	53.82	47.21	64.67	72.76	40.96	60.40	43.08	36.05	52.78	46.71
PL-26393L	54.39	29.56	45.48	40.50	55.58	61.63	34.37	52.24	44.17	60.77	68.50	37.86	56.94	49.95	68.42	76.98	43.33	63.89	45.58	38.13	55.83	49.41
PL-26393P	59.53	32.36	49.78	44.33	60.83	67.45	37.62	57.17	48.35	66.51	74.98	41.43	62.32	54.67	74.88	84.25	47.43	69.93	49.89	41.74	61.11	54.08
PL-26393H	66.30	36.04	55.44	49.37	67.75	75.12	41.90	63.67	53.84	74.07	83.50	46.14	69.40	60.88	83.39	93.83	52.82	77.88	55.56	46.48	68.06	60.23
PL-26394C	61.43	33.39	51.37	45.74	62.77	69.60	38.82	58.99	49.89	68.63	77.36	42.75	64.31	56.41	77.27	86.93	48.94	72.16	51.47	43.06	63.06	55.80
PL-26394L	67.65	36.77	56.57	50.38	69.13	76.65	42.75	64.97	54.94	75.58	85.20	47.08	70.82	62.12	85.10	95.74	53.90	79.47	56.69	47.43	69.44	61.45
PL-26394P	74.68	40.60	62.45	55.62	76.32	84.62	47.20	71.73	60.65	83.44	94.06	51.98	78.19	68.58	93.95	105.70	59.50	87.74	62.59	52.36	76.67	67.85
PL-26394H	81.99	44.57	68.56	61.06	83.78	92.90	51.81	78.75	66.59	91.60	103.26	57.07	85.84	75.29	103.14	116.04	65.33	96.32	68.71	57.48	84.17	74.48
PL-28452CC	46.54	25.30	38.92	34.66	47.56	52.74	29.41	44.70	37.00	52.00	58.62	32.39	48.73	42.74	58.55	65.87	37.08	54.68	39.00	32.63	47.78	42.28
PL-28451C	44.65	24.27	37.34	33.25	45.62	50.59	28.22	42.88	36.26	49.88	56.23	31.08	46.74	41.00	56.16	63.19	35.57	52.45	37.42	31.30	45.83	40.56
PL-28392C	54.93	29.86	45.94	40.91	56.13	62.24	34.71	52.76	44.61	61.37	69.18	38.23	57.51	50.44	69.10	77.74	43.77	64.53	46.03	38.51	56.39	49.90
PL-28393C	62.24	33.83	52.05	46.35	63.60	70.52	39.33	59.77	50.55	69.37	78.38	43.32	65.16	57.15	78.29	88.08	49.59	73.11	52.16	43.63	63.89	56.54
PL-28393L	66.03	35.89	55.21	49.17	67.47	74.81	41.72	63.41	53.62	73.76	83.16	45.95	69.12	60.63	83.05	93.45	52.61	77.56	55.33	46.29	67.78	59.98
PL-28393P	73.60	40.01	61.55	54.81	75.21	83.40	46.51	70.69	59.78	82.23	92.70	51.23	77.05	67.59	92.58	104.17	58.64	86.46	61.68	51.60	75.56	66.86
PL-28393H	81.18	44.13	67.89	60.45	82.95	91.98	51.30	77.97	65.93	90.69	102.24	56.50	84.99	74.55	102.11	114.89	64.68	95.36	68.03	56.91	83.33	73.75
PL-28423C	64.40	35.01	53.86	47.96	65.81	72.97	40.70	61.85	52.30	71.95	81.11	44.82	67.42	59.14	81.01	91.15	51.31	75.66	53.97	45.15	66.11	58.51
PL-28423L	70.35	38.24	58.83	52.39	71.89	79.72	44.46	67.57	57.14	78.60	88.61	48.97	73.65	64.61	88.50	99.57	56.05	82.65	58.96	49.32	72.22	63.91
PL-28423P	76.85	41.77	64.27	57.23	78.53	87.07	48.56	73.81	62.41	85.86	96.79	53.49	80.45	70.57	96.67	108.76	61.23	90.28	64.40	53.88	78.89	69.81
PL-28423H	83.34	45.30	69.70	62.07	85.17	94.43	52.67	80.04	67.69	93.11	104.97	58.01	87.25	76.53	104.84	117.96	66.40	97.91	69.84	58.43	85.55	75.71
PL-28424C	70.35	38.24	58.83	52.39	71.89	79.72	44.46	67.57	57.14	78.60	88.61	48.97	73.65	64.61	88.50	99.57	56.05	82.65	58.96	49.32	72.22	63.91
PL-28424L	76.58	41.63	64.04	57.03	78.25	86.77	48.39	73.55	62.19	85.55	96.45	53.30	80.17	70.32	96.33	108.38	61.01	89.96	64.17	53.69	78.61	69.57
PL-28424P	82.80	45.01	69.24	61.66	84.61	93.82	52.33	79.53	67.25	92.51	104.28	57.63	86.69	76.04	104.16	117.19	65.97	97.27	69.39	58.05	85.00	75.22
PL-28424H	89.30	48.54	74.67	66.50	91.25	101.18	56.43	85.76	72.52	99.76	112.46	62.15	93.48	82.00	112.33	126.38	71.15	104.90	74.83	62.60	91.67	81.12
PL-28464C	86.59	47.07	72.41	64.48																		

Laxun PL Selection R1

Condition Reference #	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49
Wet Bulb °C	24	24	24	27	27	27	27	27	29	29	29	29	29	32.2	32.2	32.2	32.2	32.2	21	25.56	27	28
Range °C	6	8	8	6	6	6	8	8	6	6	6	8	8	6	6	6	8	8	5	5.56	5	5
Approach °C	7	4	7	4	6	7	4	7	4	6	7	4	7	4	6	7	4	7	6	3.89	5	4
Inlet Water Temperature °C	37	36	39	37	39	40	39	42	39	41	42	41	44	42.2	44.2	45.2	44.2	47.2	32	35.00	37	37
Outlet Water Temperature °C	31	28	31	31	33	34	31	34	33	35	36	33	36	36.2	38.2	39.2	36.2	39.2	27	29.44	32	32
PL-32465C	99.58	54.13	83.27	74.16	101.76	112.83	62.93	95.64	80.87	125.15	125.41	69.31	104.25	91.44	125.26	140.93	79.34	116.98	83.45	69.81	102.22	90.46
PL-32465L	110.13	59.86	92.10	82.02	112.54	124.79	69.60	105.77	89.44	123.04	138.71	76.65	115.30	101.13	138.54	155.87	87.75	129.38	92.29	77.21	113.05	100.05
PL-32465P	118.52	64.42	99.11	88.26	121.11	134.29	74.90	113.83	96.26	132.41	149.27	82.49	124.08	108.84	149.09	167.74	94.43	139.23	99.32	83.09	121.67	107.67
PL-32465H	123.93	67.37	103.64	92.29	126.64	140.42	78.32	119.03	100.65	138.46	156.09	86.26	129.74	113.81	155.89	175.40	98.74	145.59	103.86	86.89	127.22	112.59
PL-32522CC	69.00	37.51	57.70	51.39	70.51	78.18	43.61	66.27	56.04	77.09	86.90	48.03	72.24	63.36	86.80	97.66	54.98	81.06	57.82	48.38	70.83	62.68
PL-32521C	64.94	35.30	54.31	48.36	66.36	73.58	41.04	62.37	52.74	72.56	81.99	45.20	67.99	59.64	81.69	91.91	51.74	76.29	54.42	45.53	66.67	59.00
PL-34524C	101.47	55.16	84.86	75.57	103.69	114.98	64.13	97.46	82.41	113.37	127.80	70.63	106.23	93.18	127.64	143.61	80.85	119.21	85.04	71.14	104.17	92.18
PL-34524L	112.30	61.04	93.91	83.63	114.75	127.24	70.97	107.85	91.20	125.46	141.43	78.16	117.56	103.12	141.26	158.93	89.47	131.92	94.11	78.73	115.28	102.02
PL-34524P	119.87	65.16	100.24	89.27	122.50	135.82	75.75	115.13	97.35	133.93	150.97	83.43	125.50	110.08	150.79	169.66	95.51	140.82	100.46	84.04	123.05	108.90
PL-34524H	125.83	68.39	105.22	93.70	128.58	142.57	79.52	120.85	102.19	140.58	158.47	87.58	131.73	115.55	158.28	178.08	100.25	147.81	105.44	88.22	129.17	114.31
PL-34525C	117.98	64.13	98.66	87.86	120.56	133.68	74.56	113.31	95.82	131.81	148.59	82.11	123.51	108.34	148.41	166.98	94.00	138.60	98.87	82.71	121.11	107.18
PL-34525L	127.18	69.13	106.35	94.71	129.96	144.10	80.37	122.15	103.29	142.09	160.18	88.52	133.14	116.79	159.98	180.00	101.33	149.40	106.58	89.16	130.55	115.54
PL-34525P	133.40	72.51	111.56	99.35	136.32	151.15	84.30	128.12	108.34	149.04	168.01	92.85	139.66	122.50	167.81	188.80	106.29	156.72	111.79	93.53	136.94	121.19
PL-34525H	138.54	75.31	115.86	103.18	141.58	156.98	87.55	133.06	112.52	154.78	174.49	96.43	145.04	127.22	174.28	196.08	110.38	162.76	116.10	97.13	142.22	125.86
PL-36583CC	76.31	41.48	63.81	56.83	77.98	86.46	48.22	73.29	61.97	85.25	96.11	53.11	79.89	70.07	95.99	108.00	60.80	89.64	63.95	53.50	78.33	69.32
PL-36521C	74.14	40.30	62.00	55.21	75.76	84.01	46.85	71.21	60.21	82.83	93.38	51.60	77.62	68.09	93.26	104.93	59.07	87.10	62.13	51.98	76.11	67.35
PL-36523C	92.54	50.30	77.39	68.92	94.57	104.86	58.48	88.88	75.16	103.39	116.55	64.41	96.88	84.98	116.41	130.98	73.73	108.72	77.55	64.88	95.00	84.07
PL-36524C	115.00	62.51	96.17	85.64	117.52	130.31	72.68	110.45	93.40	128.48	144.84	80.04	120.40	105.61	144.66	162.76	91.63	135.10	96.37	80.63	118.05	104.47
PL-36524L	123.12	66.92	102.96	91.69	125.81	139.50	77.81	118.25	99.99	137.55	155.06	85.69	128.90	113.06	154.87	174.25	98.10	144.64	103.18	86.32	126.39	111.85
PL-36524P	129.34	70.31	108.16	96.32	132.17	146.55	81.74	124.23	105.05	144.51	162.90	90.02	135.41	118.78	162.70	183.06	103.05	151.95	108.39	90.68	132.78	112.50
PL-36524H	135.30	73.54	113.14	100.76	138.26	153.30	85.50	129.94	109.88	151.16	170.40	94.17	141.64	124.24	170.19	191.49	107.80	158.94	113.38	94.86	138.89	127.50
PL-36525C	122.31	66.48	102.28	91.08	124.98	138.58	77.29	117.47	99.33	136.65	154.04	85.13	128.05	112.32	153.85	173.10	97.45	143.68	102.50	85.75	125.55	111.11
PL-36525L	132.05	71.78	110.43	98.34	134.94	149.62	83.45	126.82	107.24	147.53	166.31	91.91	138.24	121.26	166.11	186.89	105.21	155.13	110.66	92.58	135.55	119.96
PL-36525P	138.00	75.01	115.41	102.77	141.02	156.37	87.21	132.54	112.08	154.18	173.81	96.05	144.48	126.73	173.59	195.32	109.95	162.12	115.65	96.75	141.67	125.37
PL-36525H	142.06	77.22	118.80	105.80	145.17	160.97	89.77	136.44	115.38	158.72	178.92	98.87	148.72	130.45	178.70	201.06	113.19	166.89	119.05	99.60	145.83	129.06
PL-36526C	129.89	70.60	108.62	96.73	132.73	147.17	82.08	124.75	105.49	145.11	163.58	90.40	135.98	119.27	163.38	183.83	103.49	152.58	108.85	91.06	133.33	117.99
PL-36526L	140.17	76.19	117.22	104.38	143.23	158.82	88.58	134.62	113.84	156.60	176.53	97.56	146.74	128.72	176.32	198.38	111.68	164.66	117.46	98.27	143.89	127.33
PL-36526P	146.12	79.43	122.19	108.82	149.32	165.56	92.34	140.34	118.67	163.25	184.81	101.70	152.97	134.18	183.81	206.80	116.42	171.66	122.45	102.44	150.00	132.74
PL-36526H	152.89	83.10	127.85	113.86	156.23	173.23	96.61	146.84	124.17	170.81	192.55	106.41	160.06	140.39	192.32	216.38	121.81	179.60	128.12	107.19	156.94	138.89
PL-36585C	143.69	78.10	120.16	107.00	146.83	162.80	90.80	138.00	116.69	160.53	180.96	100.01	150.42	131.95	180.74	203.36	114.48	168.79	120.41	100.74	147.50	130.53
PL-36585L	154.24	83.84	128.98	114.86	157.61	174.76	97.47	148.13	125.26	172.32	194.26	107.35	161.47	141.64	194.02	218.29	122.89	181.19	129.25	108.14	158.33	140.12
PL-36585P	160.19	87.07	133.96	119.30	163.70	181.51	101.23	153.85	130.10	178.97	201.75	111.49	167.71	147.10	201.51	226.72	127.63	188.19	134.24	112.31	164.44	145.53
PL-36585H	165.33	89.87	138.26	123.13	168.95	187.33	104.48	158.79	134.27	184.71	208.23	115.07	173.09	151.82	207.97	234.00	131.73	194.23	138.55	115.91	169.72	150.20
PL-36586C	151.53	82.37	126.72	112.85	154.85	171.70	95.76	145.54	123.07	169.30	190.85	105.47	158.64	139.15	190.61	214.46	120.73	178.01	126.99	106.24	155.55	137.66
PL-36586L	163.44	88.84	136.68	121.71	167.01	185.19	103.28	156.97	132.74	182.60	205.84	113.75	171.10	150.09	205.59	231.31	130.22	192.00	136.96	114.59	167.78	148.47
PL-36586P	169.93	92.37	142.11	126.55	173.65	192.54	107.39	163.21	138.01	189.85	214.02	118.27	177.90	156.05	213.76	240.51	135.39	199.63	142.41	119.14	174.44	154.37
PL-36586H	174.80	95.02	146.18	130.18	178.63	198.06	110.47	167.89	141.97	195.30	220.16	121.66	183.00	160.52	219.89	247.40	139.27	205.35	146.49	122.55	179.44	158.80
PL-36635C	156.40	85.02	130.79	116.48	159.83	177.21	98.84	150.21	127.02	174.74	196.98	108.86	163.74	143.62	196.74	221.36	124.61	183.74	131.07	109.65	160.55	142.08
PL-36635L	163.71	88.99	136.90	121.92	167.29	185.49	103.46	157.23	132.96	182.90	206.18	113.94	171.39	150.33	205.93	231.70	130.44	192.32	137.19	114.78	168.05	148.72
PL-36635P	168.85	91.78	141.20	125.74	172.54	191.32	106.70	162.17	137.13	188.64	212.66	117.52	176.77	155.06	212.40	238.97	134.53	198.36	141.50	118.38	173.33	153.39

Laxun PL Selection R1

Condition Reference #	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49
Wet Bulb °C	24	24	24	27	27	27	27	27	29	29	29	29	29	32.2	32.2	32.2	32.2	32.2	21	25.56	27	28
Range °C	6	8	8	6	6	6	8	8	6	6	6	8	8	6	6	6	8	8	5	5.56	5	5
Approach °C	7	4	7	4	6	7	4	7	4	6	7	4	7	4	6	7	4	7	6	3.89	5	4
Inlet Water Temperature °C	37	36	39	37	39	40	39	42	39	41	42	41	44	42.2	44.2	45.2	44.2	47.2	32	35.00	37	37
Outlet Water Temperature °C	31	28	31	31	33	34	31	34	33	35	36	33	36	36.2	38.2	39.2	36.2	39.2	27	29.44	32	32
PL-3963SC	156.95	85.31	131.25	116.88	160.38	177.83	99.18	150.73	127.46	175.34	197.66	109.23	164.31	144.12	197.42	222.12	125.05	184.37	131.52	110.03	161.11	142.58
PL-3963SL	173.18	94.13	144.82	128.97	176.97	196.22	109.44	166.33	140.65	193.48	218.11	120.53	181.30	159.03	217.84	245.10	137.98	203.44	145.13	121.42	177.78	157.32
PL-3963SP	185.09	100.61	154.78	137.84	189.14	209.71	116.96	177.76	150.32	206.78	233.11	128.82	193.77	169.96	232.82	261.95	147.47	217.43	155.11	129.76	190.00	168.14
PL-3963SH	200.78	109.14	167.90	149.52	205.17	227.50	126.88	192.84	163.06	224.32	252.87	139.74	210.20	184.38	252.56	284.16	159.97	235.87	168.26	140.77	206.11	182.40
PL-3963GC	171.83	93.40	143.70	127.97	175.59	194.70	108.59	165.03	139.55	191.98	216.42	119.60	179.89	157.79	216.15	243.20	136.91	201.86	144.00	120.47	176.39	156.10
PL-3963GL	186.71	101.49	156.14	139.04	190.79	211.55	117.99	179.32	151.64	208.60	235.15	129.95	195.47	171.46	234.86	264.25	148.76	219.34	156.47	130.90	191.67	169.62
PL-3963GP	199.43	108.40	166.77	148.52	203.79	225.96	126.03	191.54	161.96	222.81	251.17	138.80	208.78	183.13	250.86	282.25	158.89	234.28	167.12	139.82	204.72	181.17
PL-39636H	215.12	116.93	179.90	160.20	219.83	243.75	135.95	206.61	174.71	240.34	270.94	149.73	225.21	197.59	270.60	304.46	171.40	252.72	180.28	150.82	220.83	195.43
PL-41643CC	108.24	58.83	90.51	80.61	110.61	122.64	68.40	103.95	87.90	120.93	136.32	75.33	113.31	99.39	136.15	153.19	86.24	127.15	90.70	75.88	111.11	98.33
PL-41583C1	97.96	53.25	81.92	72.95	100.10	110.99	61.90	94.08	79.55	109.44	123.37	68.18	102.55	89.95	123.22	138.64	78.05	115.07	82.09	68.68	100.55	88.99
PL-41583C	123.39	67.07	103.19	91.89	126.09	139.81	77.98	118.51	100.21	137.86	155.45	85.88	129.18	113.31	155.21	174.63	98.31	144.95	103.40	86.51	126.67	112.09
PL-41584C	144.77	78.69	121.06	107.81	147.93	164.03	91.48	139.04	117.57	161.74	182.33	100.76	151.56	132.94	182.10	204.89	115.34	170.07	121.32	101.49	148.61	131.51
PL-41584L	155.59	84.57	130.11	115.87	158.99	176.29	98.32	149.43	126.36	173.83	195.96	108.29	162.89	142.88	195.72	220.21	123.97	182.78	130.39	109.08	159.72	141.35
PL-41584P	165.06	89.72	138.03	122.92	168.67	187.02	104.31	158.53	134.05	184.41	207.89	114.88	172.80	151.58	207.63	233.61	131.51	193.91	138.32	115.72	169.44	149.95
PL-41584H	183.46	99.72	153.42	136.62	187.47	207.87	115.93	176.20	148.99	204.96	231.05	127.69	192.06	168.47	230.77	259.65	146.17	215.52	153.74	128.62	188.33	166.66
PL-41585C	154.78	84.13	129.43	115.27	158.17	175.37	97.81	148.65	125.70	172.92	194.94	107.73	162.04	142.13	194.70	219.06	123.32	181.83	129.71	108.51	158.89	140.61
PL-41585L	165.87	90.16	138.71	123.53	169.50	187.94	104.82	159.31	134.71	185.32	208.91	115.45	173.65	152.32	208.65	234.76	132.16	194.86	139.00	116.29	170.28	150.69
PL-41585P	175.89	95.61	147.08	130.98	179.73	199.29	111.15	168.92	142.84	196.50	221.52	122.42	184.13	161.51	221.25	248.93	140.14	206.62	147.39	123.31	180.55	159.78
PL-41585H	195.10	106.05	163.15	145.29	199.37	221.06	123.29	187.38	158.45	217.97	245.72	135.79	204.25	179.16	245.41	276.12	155.44	229.19	163.49	136.78	200.28	177.23
PL-41586C	168.31	91.49	140.75	125.34	171.99	190.71	106.36	161.65	136.69	188.04	211.98	117.14	176.20	154.56	211.72	238.21	134.10	197.72	141.05	118.00	172.78	152.90
PL-41586L	179.40	97.52	150.03	133.60	183.33	203.27	113.37	172.30	145.70	200.43	225.95	124.86	187.82	164.74	225.67	253.91	142.94	210.75	150.34	125.78	184.16	162.98
PL-41586P	189.96	103.25	158.85	141.46	194.11	215.23	120.04	182.44	154.27	212.22	239.24	132.21	198.87	174.44	238.95	268.84	151.35	223.15	159.19	133.18	195.00	172.56
PL-41586H	209.71	113.99	175.37	156.17	214.30	237.61	132.52	201.41	170.31	234.29	264.12	145.96	219.54	192.58	263.79	296.80	167.09	246.36	175.74	147.03	215.27	190.51
PL-41634C	147.47	80.16	123.32	109.82	150.70	167.10	93.19	141.64	119.77	164.76	185.73	102.64	154.39	135.42	185.51	208.72	117.50	173.24	123.58	103.39	151.39	133.97
PL-41634L	156.94	85.31	131.24	116.88	160.38	177.83	99.18	150.73	127.46	175.34	197.66	109.23	164.30	144.12	197.42	222.12	125.04	184.37	131.52	110.03	161.11	142.57
PL-41634P	168.31	91.49	140.75	125.34	171.99	190.70	106.36	161.65	136.69	188.04	211.98	117.14	176.20	154.56	211.72	238.21	134.10	197.72	141.04	118.00	172.78	152.90
PL-41634H	186.71	101.49	156.14	139.04	190.79	211.55	117.99	179.32	151.63	208.60	235.15	129.95	195.47	171.45	234.86	264.25	148.76	219.34	156.46	130.90	191.66	169.61
PL-41635C	162.36	88.25	135.77	120.91	165.91	183.96	102.60	155.93	131.86	181.39	204.48	113.00	169.97	149.09	204.23	229.78	129.36	190.73	136.06	113.83	166.67	147.49
PL-41635L	174.53	94.87	145.95	129.98	178.35	197.76	110.30	167.63	141.75	194.99	219.82	121.48	182.72	160.27	219.55	247.02	139.06	205.03	146.26	122.36	179.17	158.55
PL-41635P	181.30	98.55	151.61	135.01	185.26	205.42	114.57	174.12	147.24	202.55	228.33	126.18	189.80	166.48	228.05	256.59	144.45	212.98	151.93	127.11	186.11	164.70
PL-41635H	202.95	110.31	169.71	151.13	207.38	229.95	128.25	194.91	164.82	225.63	255.60	141.25	212.46	186.36	255.28	287.23	161.70	238.41	170.07	142.28	208.33	184.36
PL-41636C	174.54	94.87	145.96	129.98	178.36	197.77	110.30	167.63	141.75	195.00	219.83	121.48	182.73	160.28	219.56	247.03	139.06	205.04	146.27	122.37	179.17	158.56
PL-41636L	189.96	103.25	158.85	141.46	194.11	215.23	120.04	182.44	154.27	212.22	239.24	132.21	198.87	174.44	238.95	268.85	151.35	223.15	159.19	133.18	195.00	172.57
PL-41636P	198.89	108.11	166.32	148.11	203.24	225.35	125.68	191.01	161.52	222.20	250.49	138.42	208.21	182.64	250.18	281.48	158.46	233.64	166.67	139.44	204.16	180.68
PL-41636H	221.89	120.61	185.55	165.24	226.74	251.41	140.22	213.10	180.20	247.90	279.45	154.43	232.29	203.76	279.11	314.03	176.79	260.66	185.94	155.56	227.77	201.57
PL-41684C	180.76	98.25	151.16	134.61	184.71	204.81	114.23	173.60	146.80	201.95	227.65	125.81	189.23	165.99	227.37	255.82	144.02	212.34	151.48	126.73	185.55	164.21
PL-41684L	188.33	102.37	157.49	140.25	192.45	213.39	119.02	180.88	152.95	210.41	237.20	131.08	197.17	172.95	236.91	266.55	150.05	221.25	157.83	132.04	193.33	171.09
PL-41684P	195.91	106.49	163.83	145.90	200.20	221.98	123.80	188.16	159.11	218.88	246.74	136.35	205.10	179.90	246.44	277.27	156.09	230.15	164.18	137.35	201.11	177.97
PL-41684H	211.88	115.17	177.18	157.79	216.51	240.07	133.89	203.49	172.07	236.71	266.85	147.47	221.81	194.56	266.52	299.87	168.81	248.90	177.55	148.54	217.50	192.48
PL-41685C	194.83	105.90	162.93	145.09	199.09																	

Laxun PL Selection R1

Condition Reference #	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49
Wet Bulb °C	24	24	24	27	27	27	27	27	29	29	29	29	29	32.2	32.2	32.2	32.2	32.2	21	25.56	27	28
Range °C	6	8	8	6	6	6	8	8	6	6	6	8	8	6	6	6	8	8	5	5.56	5	5
Approach °C	7	4	7	4	6	7	4	7	4	6	7	4	7	4	6	7	4	7	6	3.89	5	4
Inlet Water Temperature °C	37	36	39	37	39	40	39	42	39	41	42	41	44	42.2	44.2	45.2	44.2	47.2	32	35.00	37	37
Outlet Water Temperature °C	31	28	31	31	33	34	31	34	33	35	36	33	36	36.2	38.2	39.2	36.2	39.2	27	29.44	32	32
PL-44685L	204.84	111.34	171.30	152.55	209.32	232.09	129.45	196.73	166.36	228.85	257.98	142.57	214.45	188.10	257.67	289.91	163.20	240.63	171.66	143.61	210.28	186.08
PL-44685P	211.06	114.73	176.50	157.18	215.68	239.15	133.38	202.71	171.41	235.80	265.82	146.90	220.96	193.82	265.50	298.72	168.16	247.95	176.87	147.97	216.66	191.74
PL-44685H	228.65	124.29	191.21	170.28	233.65	259.08	144.49	219.60	185.70	255.45	287.97	159.14	239.37	209.97	287.62	323.61	182.18	268.61	191.61	160.31	234.72	207.72
PL-44686C	207.82	112.96	173.79	154.76	212.36	235.47	131.33	199.59	168.78	232.18	261.73	144.64	217.56	190.84	261.41	294.12	165.58	244.13	174.15	145.70	213.33	188.79
PL-44686L	217.29	118.11	181.71	161.81	222.04	246.20	137.31	208.69	176.47	242.76	273.66	151.23	227.48	199.53	273.32	307.52	173.12	255.26	182.09	152.34	223.05	197.39
PL-44686P	224.86	122.23	188.04	167.46	229.78	254.78	142.10	215.96	182.62	251.22	283.20	156.50	235.41	206.49	282.85	318.25	179.16	264.16	188.44	157.65	230.83	204.27
PL-44686H	242.18	131.64	202.52	180.35	247.48	274.41	153.04	232.60	196.69	270.57	305.01	168.56	253.54	222.39	304.64	342.76	192.96	284.50	202.95	169.79	248.61	220.01
PL-44724C	205.65	111.79	171.98	153.15	210.15	233.02	129.96	197.51	167.02	229.76	259.01	143.13	215.30	188.85	258.69	291.06	163.85	241.59	172.34	144.18	211.11	186.82
PL-44724L	214.31	116.49	179.22	159.60	219.00	242.83	135.43	205.83	174.05	239.43	269.91	149.16	224.36	196.80	269.58	303.31	170.75	251.76	179.60	150.25	220.00	194.69
PL-44724P	229.46	124.73	191.89	170.88	234.48	260.00	145.01	220.38	186.36	256.36	289.00	159.71	240.23	210.72	288.64	324.76	182.82	269.56	192.29	160.88	235.55	208.45
PL-44724H	239.75	130.32	200.49	178.54	244.99	271.65	151.51	230.26	194.71	267.85	301.95	166.86	250.99	220.16	301.58	339.31	191.02	281.64	200.91	168.08	246.11	217.80
PL-44725C	217.56	118.26	181.93	162.02	222.32	246.51	137.48	208.95	176.69	243.06	274.00	151.42	227.76	199.78	273.67	307.91	173.34	255.58	182.32	152.53	223.33	197.64
PL-44725L	225.41	122.52	188.50	167.86	230.34	255.40	142.44	216.48	183.06	251.83	283.89	156.88	235.98	206.99	283.54	319.02	179.59	264.79	188.89	158.03	231.39	204.77
PL-44725P	244.89	133.11	204.79	182.37	250.25	277.47	154.76	235.20	198.88	273.59	308.42	170.44	256.37	224.88	308.04	346.59	195.11	287.68	205.22	171.69	251.39	222.47
PL-44725H	254.63	138.41	212.93	189.62	260.20	288.51	160.91	244.55	206.80	284.48	320.69	177.22	266.57	233.83	320.30	360.38	202.88	299.13	213.38	178.52	261.39	231.32
PL-44726C	229.19	124.58	191.66	170.68	234.21	259.69	144.84	220.12	186.14	256.06	288.66	156.52	239.94	210.47	288.30	324.38	182.61	269.25	192.07	160.69	235.28	208.21
PL-44726L	237.04	128.85	198.23	176.53	242.23	268.58	149.80	227.66	192.51	264.83	298.54	164.98	248.16	217.67	298.17	335.48	188.86	278.46	198.64	166.19	243.33	215.34
PL-44726P	255.71	139.00	213.84	190.43	261.31	289.74	161.60	245.59	207.68	285.69	322.06	177.98	267.70	234.82	321.66	361.91	203.74	300.40	214.29	179.28	262.50	232.30
PL-44726H	267.89	145.61	224.02	199.50	273.75	303.53	169.29	257.29	217.56	299.29	337.39	186.45	280.45	246.00	336.98	379.14	213.44	314.70	224.49	187.81	275.00	243.36
PL-46684C	192.66	104.73	161.12	143.48	196.88	218.30	121.75	185.04	156.47	215.25	242.65	134.09	201.70	176.92	242.35	272.68	153.50	226.33	161.45	135.07	197.78	175.02
PL-46684L	201.05	109.28	168.13	149.73	205.45	227.80	127.05	193.10	163.28	224.62	253.21	139.93	210.48	184.62	252.90	284.55	160.19	236.19	168.48	140.96	206.39	182.64
PL-46684P	208.36	113.26	174.24	155.17	212.92	236.08	131.67	200.11	169.22	232.78	262.42	145.02	218.13	191.33	262.09	294.89	166.01	244.77	174.61	146.08	213.89	189.28
PL-46684H	223.51	121.49	186.91	166.45	228.40	253.25	141.25	214.67	181.52	249.71	281.50	155.56	233.99	205.25	281.15	316.33	178.08	262.57	187.31	156.70	229.44	203.05
PL-46685C	201.86	109.73	168.81	150.33	206.28	228.72	127.57	193.87	163.94	225.52	254.24	140.50	211.33	185.37	253.92	285.69	160.83	237.14	169.16	141.52	207.22	183.38
PL-46685L	211.60	115.02	176.95	157.58	216.23	239.76	133.72	203.23	171.85	236.41	266.50	147.28	221.53	194.31	266.18	299.48	168.59	248.58	177.33	148.35	217.22	192.23
PL-46685P	218.10	118.55	182.39	162.42	222.87	247.12	137.83	209.47	177.13	243.66	274.68	151.80	228.33	200.28	274.35	308.67	173.77	256.21	182.77	152.91	223.89	198.13
PL-46685H	235.96	128.26	197.32	175.72	241.12	267.35	149.11	226.62	191.63	263.62	297.18	164.23	247.02	216.68	296.81	333.95	188.00	277.19	197.74	165.43	242.22	214.35
PL-46686C	221.89	120.61	185.55	165.24	226.74	251.41	140.22	213.11	180.20	247.90	279.46	154.43	232.29	203.76	279.11	314.04	176.79	260.66	185.94	155.56	227.78	201.57
PL-46686L	227.30	123.55	190.08	169.27	232.27	257.54	143.64	218.30	184.60	253.94	286.27	158.20	237.96	208.73	285.92	321.70	181.10	267.02	190.48	159.36	233.33	206.49
PL-46686P	244.89	133.11	204.79	182.37	250.25	277.47	154.76	235.20	198.88	273.59	308.42	170.44	256.37	224.88	308.04	346.59	195.11	287.68	205.22	171.69	251.39	222.47
PL-46686H	248.95	135.32	208.18	185.39	254.39	282.07	157.32	239.09	202.18	278.13	313.53	173.27	260.62	228.61	313.15	352.33	198.35	292.45	208.62	174.53	255.55	226.15
PL-46725C	221.08	120.17	184.88	164.64	225.91	250.49	139.71	212.33	179.55	246.99	278.43	153.87	231.44	203.01	278.09	312.89	176.14	259.71	185.26	154.99	226.94	200.83
PL-46725L	230.55	125.32	192.80	171.69	235.59	261.23	145.69	221.42	187.24	257.57	290.36	160.46	241.36	211.71	290.01	326.29	183.69	270.84	193.20	161.64	236.67	209.44
PL-46725P	245.70	133.55	205.47	182.97	251.07	278.39	155.27	235.97	199.54	274.50	309.44	171.01	257.22	225.62	309.06	347.74	195.76	288.63	205.90	172.26	252.22	223.20
PL-46725H	257.60	140.02	215.42	191.84	263.24	291.88	162.79	247.41	209.21	287.80	324.44	179.29	269.69	236.56	324.04	364.59	205.25	302.62	215.88	180.60	264.44	234.02
PL-46726C	231.90	126.05	193.73	172.70	236.97	262.76	146.55	222.72	188.34	259.08	292.07	161.40	242.78	212.95	291.71	328.21	184.77	272.42	194.33	162.58	238.05	210.67
PL-46726L	238.94	129.88	199.81	177.94	244.16	270.73	150.99	229.48	194.05	266.94	300.93	166.30	250.14	219.41	300.56	338.16	190.37	280.69	200.23	167.52	245.28	217.06
PL-46726P	258.15	140.32	215.88	192.24	263.79	292.49	163.13	247.93	209.65	288.41	325.12	179.67	270.25	237.05	324.72	365.35	205.68	303.26	216.33	180.98	265.00	234.51
PL-46726H	269.51	146.50	225.38	200.71	275.41	305.37	170.31	258.84	218.88	301.10	339.43	187.58	282.15	247.49	339.02	381.44	214.73	316.61	225.85	188.95	276.66	244.83
PL-46727C																						

Laxun PL Selection R1

Condition Reference #	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49
Wet Bulb °C	24	24	24	27	27	27	27	27	29	29	29	29	29	32.2	32.2	32.2	32.2	32.2	21	25.56	27	28
Range °C	6	8	8	6	6	6	8	8	6	6	6	8	8	6	6	6	8	8	5	5.56	5	5
Approach °C	7	4	7	4	6	7	4	7	4	6	7	4	7	4	6	7	4	7	6	3.89	5	4
Inlet Water Temperature °C	37	36	39	37	39	40	39	42	39	41	42	41	44	42.2	44.2	45.2	44.2	47.2	32	35.00	37	37
Outlet Water Temperature °C	31	28	31	31	33	34	31	34	33	35	36	33	36	36.2	38.2	39.2	36.2	39.2	27	29.44	32	32
PL-4772L	288.45	156.79	241.22	214.81	294.76	326.84	182.29	277.04	234.27	322.27	363.29	200.76	301.98	264.89	362.85	408.25	229.82	338.86	241.73	202.23	296.11	262.04
PL-4772P	301.98	164.15	252.53	224.89	308.59	342.17	190.84	290.03	245.25	337.38	380.33	210.18	316.15	277.31	379.87	427.40	240.60	354.76	253.07	211.72	310.00	274.33
PL-51685C	225.68	122.67	188.72	168.06	230.61	255.70	142.61	216.74	183.28	252.13	284.23	157.07	236.26	207.24	283.88	319.40	179.81	265.11	189.12	158.22	231.67	205.01
PL-51685L	232.71	126.49	194.61	173.30	237.80	263.68	147.06	223.50	189.00	259.99	293.09	161.97	243.63	213.70	292.73	329.36	185.41	273.38	195.02	163.15	238.89	211.40
PL-51685P	251.11	136.50	209.99	187.01	256.61	284.52	158.69	241.17	203.94	280.55	316.26	174.77	262.89	230.59	315.87	355.40	200.07	294.99	210.44	176.05	257.78	228.12
PL-51686C	237.31	128.99	198.45	176.73	242.50	268.89	149.97	227.92	192.73	265.13	298.88	165.17	248.44	217.92	298.51	335.87	189.08	278.78	198.87	166.38	243.61	215.58
PL-51686L	245.16	133.26	205.01	182.57	250.52	277.78	154.93	235.46	199.10	273.90	308.76	170.63	256.66	225.13	308.39	346.97	195.33	288.00	205.45	171.88	251.67	222.71
PL-51686P	265.18	144.14	221.76	197.48	270.98	300.47	167.58	254.69	215.37	296.27	333.98	184.57	277.62	243.52	333.57	375.31	211.28	311.52	222.23	185.92	272.22	240.90
PL-51686H	277.09	150.62	231.72	206.35	283.15	313.96	175.10	266.12	225.04	309.57	348.98	192.85	290.08	254.45	348.55	392.16	220.77	325.51	232.20	194.26	284.44	251.72
PL-51687C	250.03	135.91	209.09	186.20	255.50	283.30	158.00	240.13	203.06	279.34	314.90	174.02	261.76	229.60	314.51	353.87	199.21	293.72	209.53	175.29	256.66	224.14
PL-51687L	258.42	140.47	216.10	192.45	264.07	292.80	163.31	248.19	209.87	288.71	325.46	179.86	270.54	237.30	325.06	365.74	205.89	303.58	216.56	181.17	265.28	234.76
PL-51687P	279.25	151.79	233.53	207.96	285.36	316.41	176.47	268.20	226.79	311.99	351.71	194.36	292.35	256.44	351.27	395.23	222.49	328.05	234.02	195.78	286.66	253.69
PL-51687H	292.24	158.85	244.39	217.64	298.64	331.13	184.68	280.68	237.34	326.50	368.06	203.40	305.95	268.36	367.61	413.61	232.84	343.31	244.90	204.89	300.00	265.48
PL-51726C	264.64	143.85	221.31	197.08	270.43	299.85	167.24	254.17	214.93	295.66	333.30	184.19	277.05	243.02	332.89	374.55	210.85	310.89	221.77	185.54	271.66	240.41
PL-51726L	286.02	155.47	239.18	213.00	292.28	324.08	180.75	274.70	232.29	319.55	360.23	199.07	299.43	262.65	359.78	404.80	227.88	336.00	239.69	200.52	293.61	259.83
PL-51726P	299.82	162.97	250.72	223.28	306.38	339.71	189.47	287.95	243.50	334.96	377.61	208.67	313.88	275.32	377.14	424.33	238.88	352.21	251.25	210.20	307.78	272.37
PL-51727C	276.82	150.47	231.49	206.15	282.87	313.65	174.93	265.86	224.82	309.27	348.64	192.67	289.80	254.20	348.21	391.78	220.55	325.19	231.98	194.07	284.16	251.47
PL-51727L	299.55	162.82	250.50	223.08	306.10	339.41	189.30	287.69	243.28	334.66	377.27	208.49	313.60	275.07	376.80	423.95	238.66	351.89	251.03	210.01	307.50	272.12
PL-52725C	257.34	139.88	215.20	191.64	262.97	291.58	162.62	247.15	208.99	287.50	324.10	179.11	269.40	236.31	323.70	364.21	205.03	302.30	215.65	180.42	264.16	233.77
PL-52725L	278.17	151.20	232.62	207.16	284.26	315.18	175.79	267.16	225.92	310.78	350.34	193.61	291.22	255.44	349.91	393.69	221.63	326.78	233.11	195.02	285.55	252.70
PL-52725P	290.89	158.12	243.26	216.63	297.25	329.60	183.83	279.38	236.24	324.99	366.36	202.46	304.53	267.12	365.91	411.69	231.76	341.72	243.77	203.94	298.61	264.26
PL-52725H	303.07	164.74	253.44	225.70	309.70	343.39	191.52	291.07	246.13	338.59	381.70	210.93	317.28	278.30	381.23	428.93	241.47	356.03	253.97	212.48	311.11	275.32
PL-52726C	268.43	145.91	224.48	199.90	274.30	304.15	169.63	257.81	218.00	299.90	338.07	186.83	281.02	246.50	337.66	379.91	213.87	315.34	224.95	188.19	275.55	243.85
PL-52726L	289.54	157.38	242.13	215.62	295.87	328.06	182.97	278.08	235.15	323.48	364.66	201.52	303.12	265.88	364.21	409.78	230.69	340.13	242.64	202.99	297.22	263.03
PL-52726P	307.13	166.94	256.83	228.72	313.84	347.99	194.09	294.97	249.43	343.13	386.81	213.76	321.53	282.03	386.33	434.67	244.70	360.79	257.37	215.32	315.28	279.01
PL-52726H	309.02	167.97	258.42	230.13	315.78	350.14	195.28	296.79	250.97	345.24	389.19	215.08	323.51	283.77	388.72	437.35	246.21	363.02	258.96	216.65	317.22	280.73
PL-52727C	282.77	153.70	236.47	210.58	288.96	320.40	178.70	271.58	229.65	315.92	356.14	196.81	296.03	259.67	355.70	400.21	225.30	332.19	236.97	198.25	290.28	256.88
PL-52727L	305.77	166.21	255.70	227.71	312.46	346.46	193.23	293.67	248.33	341.62	385.10	212.82	320.11	280.79	384.63	432.76	243.62	359.21	256.24	214.37	313.89	277.78
PL-56725C	264.10	143.56	220.85	196.68	269.88	299.24	166.90	253.65	214.49	295.06	332.62	183.81	276.49	242.52	332.21	373.78	210.42	310.25	221.32	185.16	271.11	239.92
PL-56725L	284.94	154.88	238.28	212.19	291.17	322.85	180.06	273.66	231.41	318.34	358.86	198.32	298.30	261.66	358.42	403.27	227.02	334.73	238.78	199.77	292.50	258.85
PL-56725P	299.01	162.53	250.05	222.67	305.55	338.79	188.96	287.17	242.84	334.06	376.58	208.11	313.03	274.58	376.12	423.18	238.23	351.26	250.57	209.63	306.94	271.63
PL-56725H	311.18	169.15	260.23	231.74	317.99	352.59	196.65	298.87	252.73	347.66	391.92	216.58	325.78	285.76	391.44	440.42	247.93	365.56	260.78	218.17	319.44	282.69
PL-56726C	276.28	150.17	231.04	205.75	282.32	313.04	174.59	265.34	224.38	308.66	347.96	192.29	289.23	253.70	347.53	391.01	220.12	324.56	231.52	193.70	283.61	250.98
PL-56726L	298.47	162.24	249.59	222.27	305.00	338.18	188.61	286.65	242.40	333.45	375.90	207.73	312.46	274.08	375.44	422.42	237.80	350.62	250.12	209.25	306.39	271.14
PL-56727C	288.18	156.65	240.99	214.61	294.49	326.53	182.12	276.78	234.05	321.96	362.95	200.58	301.70	264.64	362.51	407.86	229.61	338.54	241.50	202.04	295.83	261.80
PL-59725C	271.68	147.67	227.19	202.32	277.62	307.83	171.68	260.93	220.64	303.52	342.16	189.09	284.42	249.48	341.74	384.50	216.46	319.15	227.67	190.47	278.89	246.80
PL-59725L	293.87	159.74	245.75	218.84	300.29	332.97	185.71	282.24	238.66	328.31	370.11	204.53	307.65	269.86	369.65	415.91	234.14	345.22	246.26	206.03	301.66	266.96
PL-59725P	307.94	167.38	257.51	229.32	314.67	348.91	194.60	295.75	250.09	344.03	387.83	214.32	322.38	282.78	387.35	435.82	245.35	361.75	258.06	215.89	316.11	279.74
PL-59726C	283.04	153.85	236.69	210.78	289.23	320.70	178.87	271.84	229.87	316.22	356.48	197.00	296.32	259.92	356.04	400.59	225.51	332.50	237.19	198.44	290.55	257.13
PL-59726L																						